REVIEW ARTICLE

Predictors for work participation of people with visual impairments: A systematic review and meta-analysis

Richard Daniëls^{1,2,3,4} Ruth M. van Nispen^{2,3} Ralph de Vries⁵

Birgit H. P. M. Donker-Cools⁴ | Frederieke G. Schaafsma⁴ | Jan L. Hoving⁴

¹Social Medical Department, Dutch Social Security Agency, Amsterdam, The Netherlands

²Ophthalmology, Amsterdam University Medical Centre, Location Vrije Universiteit Amsterdam, Amsterdam, The Netherlands

³Quality of Care, Amsterdam Public Health, Amsterdam, The Netherlands

⁴Coronel Institute of Occupational Health, and Research Centre for Insurance Medicine, Amsterdam University Medical Centre, University of Amsterdam, Amsterdam, The Netherlands

⁵Medical Library, Vrije Universiteit, Amsterdam, The Netherlands

Correspondence

Richard Daniëls, Ophthalmology, Amsterdam University Medical Centre, Location Vrije Universiteit Amsterdam, Amsterdam, The Netherlands.

Email: r.daniels@amsterdamumc.nl

Funding information

Dutch Social Security Agency (UWV)

Abstract

Introduction: The aim of this systematic review and meta-analysis was to assess factors associated with work participation in people with visual impairments and to explore how these factors may have changed over time.

Method: A comprehensive search of PubMed, Embase.com, EBSCO/APA PsycInfo, EBSCO/CINAHL and EBSCO/ERIC from database inception to 1 April 2022 was performed. We included studies with cross-sectional design, case-control, case-series or cohort design, involving visually impaired working-age adults with at least moderate visual impairment, and evaluated the association between visual impairment and work participation. Studies involving participants with deaf-blindness or multiple disabilities were excluded. We assessed study quality (Newcastle-Ottawa Scale [NOS]), examined between-study heterogeneity and performed subgroup analyses. The study protocol was registered in PROSPERO, CRD42021241076.

Results: Of 13,585 records, 57 articles described 55 studies including 1,326,091 participants from mostly high-income countries. Sociodemographic factors associated with employment included higher education (odds ratio [OR] 3.34, 95% confidence interval [CI] 2.47 to 4.51, l² 0%), being male (OR 1.59, 95% CI 1.37 to 1.84, l² 95%), having a partner (OR 1.73, 95% CI 1.12 to 2.67, l² 34%), white ethnicity (OR 1.36, 95% CI 1.07 to 1.74, l² 0%) and having financial assistance (OR 0.38, 95% CI 0.26 to 0.55, 1² 85%). Disease-related factors included worse visual impairment (OR 0.61, 95% CI 0.46 to 0.80, l² 98%) or having additional disabilities (OR 0.55, 95% CI 0.49 to 0.62, l² 16%). Intervention-related factors included mobility aid utilisation (OR 0.35, 95% CI 0.10 to 1.18, l^2 94%). A potential moderating effect of time period and geographical region was observed for some factors. Study quality (NOS) was rated moderate to high.

Conclusion: Several sociodemographic and disease related factors were associated with employment status. However, the results should be interpreted with caution because of overall high heterogeneity. Future research should focus on the role of workplace factors, technological adjustments and vocational rehabilitation services on work participation.

KEYWORDS

employment, meta-analyses, predictors, systematic review, visual impairments, work participation

This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium. provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made. © 2023 The Authors. Ophthalmic and Physiological Optics published by John Wiley & Sons Ltd on behalf of College of Optometrists.

INTRODUCTION

1224

Visual impairments often have a substantial impact on quality of life,¹ mental health^{2,3} and activities of daily living, including work participation.^{2,4,5} The leading causes for low vision at working age are mainly retinal disorders, such as high myopia causing retinal damage, hereditary retinal disorders such as retinitis pigmentosa or Stargardt disease and diabetic retinopathy.^{6,7} Although the prevalence of blindness corrected for age has reduced over the past three decades, the absolute number of people with a visual impairment continues to grow.⁸ This may be explained by demographic aging and population growth, increased comorbidity (obesity, diabetes mellitus and hypertension) as well as changes in lifestyle and environmental factors (increased near-visual activities).^{9,10}

Over the past few decades, there have been notable improvements in support and work opportunities for visually impaired persons. The proclamation of the Convention on the Rights of Persons with Disabilities,¹¹ recognising and promoting the right to work for persons with disabilities, may have positively affected working status. Moreover, in the workplace there has been a shift from physical jobs to more desk-oriented work in which technologies are more often used.^{12,13} Opportunities for people with visual impairment are growing due to advances in (vocational) rehabilitation^{14,15} and assistive technological developments,^{16,17} including object recognition, navigation and computer utilisation software.

However, despite these developments, employment rates of people with visual impairments remain low.¹⁸ In high-income countries such as the Netherlands, the employment rate of visually impaired people is 36.8% compared with 67.1% among the general working-age population.^{19–21}

People with a visual impairment not only experience difficulties in finding and keeping a job, they often reluctantly work fewer hours or have a job for which they are overqualified ('underemployed').^{4,19,20,22–25} Unemployment or underemployment can cause dependent relationships and influence an individual's personality and self-esteem.^{26–29} This loss in work participation and productivity also generates high economic costs.^{30,31} In 2010, the worldwide societal costs of visual impairment was estimated at US\$ 3 trillion.³² This is explained by direct medical costs related to health care utilisation, but mainly by reduced work participation.³¹ Furthermore, occupational physicians experience difficulty in advising and assessing people with visual impairment.³³

Previous reviews provided some insight into factors associated with the employment of people with visual impairment^{4,34–36} such as gender, severity of visual impairment, braille reading level and education level. However, results remained inconclusive and methodological challenges were observed in these reviews, including small sample sizes and heterogeneity. In conclusion, the work participation rate of visually impaired people is low and

Key points

- This systematic review and meta-analysis showed that several sociodemographic and disease-related factors are associated with employment for visually impaired working-age adults.
- The role of workplace factors, technology and vocational rehabilitation services has not been studied frequently but could potentially contribute to work participation for visually impaired working-age adults.
- The United Nations Convention of the Rights of Persons with Disabilities empowers people to participate in society including work; however, specific vulnerable subgroups of working-age adults with visual impairments deserve more attention.

several developments in different fields may have affected work participation over time. However, research in this field is incomplete and suffers from methodological challenges. Available reviews could benefit from more comprehensive literature-searching, a worldwide focus including high-, middle- and low-income nations,^{34–36} and meta-analysis, if possible, taking into account heterogeneity of studies and study populations with visual impairments.

This study aimed to provide an overview of possible factors associated with work participation in people with visual impairments and to explore how these factors may have changed over time. Evidence from this overview may improve the assessment of work disability and vocational rehabilitation (VR) for people with visual impairments.

METHOD

A review protocol was developed based on the Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) statement,³⁷ which provides guidance in structuring methods and improving the reporting of results. The study protocol was registered at PROSPERO (registration number CRD42021241076).

Search method and selection procedure

An extensive and systematic literature search was performed to identify all relevant publications in the bibliographic databases PubMed, Embase.com, EBSCO/APA PsycInfo, EBSCO/CINAHL and EBSCO/ERIC from inception up to 1 April 2022, in collaboration with a medical information specialist. The following terms were used (including synonyms and closely related words) as index terms or free-text words: 'Visually Impaired Persons', 'Blindness', 'Employment', 'Industrial psychology', 'Vocational rehabilitation', 'Work participation' and 'Work capacity'.

The references of the identified articles were searched for relevant additional publications. Duplicate articles were excluded. All languages were accepted. The full search strategies for all databases can be found in the Data S1.

First, the de-duplicated database was divided by five reviewers who performed the first selection, to exclude evidently nonrelevant articles on the basis of the title (e.g., nonvisual disorders).³⁸ Then the remaining items were screened independently by two reviewers based on systematic analysis of: (1) the title and abstract and (2) the full text of the articles. Rayyan software (rayyan.qcri.org)—a systematic review web application—was used for screening purposes.³⁹ Subsequently, potentially relevant articles that met the inclusion criteria were further assessed for eligibility. Discrepancies were resolved by discussion and/or consulting a third reviewer.

Eligibility criteria for including studies in the review

For study selection, the following inclusion criteria were used: (1) studies with a cross-sectional design, case-control design, case-series design or cohort design; (2) participants with at least moderate visual impairment according to the World Health Organization (WHO) criteria, defined as presenting visual acuity of 6/18 (20/60) to 3/60 for moderate to severe visual impairment (low vision) and worse than 3/60 for blindness,⁴⁰ or on the basis of similar information or other indications of low vision or blindness; (3) working-age population (>18 years) and (4) study should have evaluated the association between visual impairments and work participation.

The following papers were excluded: animal studies, abstracts, review articles, commentaries, editorials, book chapters, case reports and unpublished results. Studies with a main focus on participants who were deaf-blind or with multiple disabilities were also excluded.

Data extraction

Information was extracted independently from all included articles by one reviewer (RD) using a standardised form and entered in Microsoft Excel software (version 2016; Microsoft.com). Discrepancies were resolved by consensus and with the involvement of two authors (JH and RvN). From each eligible article, the following characteristics were retrieved: (1) first author, (2) country and year of publication, (3) study design, (4) sample information (mean age, age range, cause and severity of visual impairment, gender distribution, sample size, VR setting), (5) participant selection, (6) method for diagnosis visual impairment, (7) definition of employment outcome, (8) method of analysis OPO W THE COLLEGE OF 1225

and (9) unadjusted and adjusted effect sizes for employment outcome (odds ratio [OR]). If in individual studies the WHO classification for severity of visual impairment was not applied, we used the classification of the study author. For level of education that resulted in having obtained a diploma, we used three levels (low: elementary school; moderate: high school and associate's degree; high: bachelor's degree and higher). In case of multiple follow-up moments per study, the latest follow-up was used. Study authors were contacted in case of insufficient information on any of these items. When ORs were missing, in some instances, we were able to calculate these outcome data from raw study results. When parameters of interest were missing or not fully reported and could not be calculated from raw data, corresponding authors were contacted by email. A data extraction table is available upon request.

Quality assessment

Assessment of the methodological quality (risk of bias) of the studies selected for meta-analysis was performed independently by two reviewers according to the Newcastle–Ottawa Scale (NOS),⁴¹ a critical appraisal tool for nonrandomised studies. An adapted version by Modesti et al.⁴² was used for cross-sectional studies. Any disagreement was resolved by discussion.

The NOS consists of eight items within three sections: selection and definition of study groups (0–4 stars); comparability of study groups (0–2 stars); and outcome assessment and/or soundness of statistical analysis (0–3 stars). A total maximum score of these three subsets is 9. A study with a total NOS score of 7–9 was considered to be high quality, 4–6 indicated moderate quality and 1–3 indicated low quality.

Data analysis

To describe work participation for people with visual impairments, we plotted the employment rates of the included studies over time, per region, educational level, study quality and study design. Meta-analysis was performed with Cochrane Review Manager (RevMan; train ing.cochrane.org/online-learning/core-software/revman, version 5.3),⁴³ using the inverse variance method. ORs and 95% confidence intervals (95% CIs) or standard error were obtained or calculated for employment status (e.g., being [competitively] employed) as a binary outcome, to investigate the association between employment status in visually impaired people and the various sociodemographic, disease-, personal- and work-related factors of interest. For every study, we selected the odds ratio (OR) from the model with the maximum adjusted number of covariates.⁴⁴ By log-transforming the (adjusted) effect size estimates (OR) and reported 95% Cls, the pooled effect sizes were estimated. For practical

reasons, we calculated the pooled effect size for each factor when at least four distinct studies were available and displayed these in forest plots.

THE COLLEGE OF

The random-effects model with the inverse variance method was used to provide a weighted average effect size estimate. The random-effects model allows to address for the anticipated high heterogeneity within and between studies resulting from differences in design and measures samples, which is inherent in observational studies compared with randomised trials.

Potential statistical heterogeneity was informed using the l^2 test, which is a statistic for quantifying inconsistency, with four different levels: 0%–40% (might not be important), 30%–60% (may represent moderate heterogeneity), 50%–90% (may represent substantial heterogeneity) and 75%–100% (considerable heterogeneity).⁴⁵

We conducted exploratory subgroup analysis, when at least 10 distinct studies per factor were available, as recommended by the Cochrane handbook.⁴⁶ In general, subgroup analyses can be used for comparisons of predefined subgroups of interest such as particular patient or intervention types, as well to investigate sources and magnitude of heterogeneity.⁴⁷ The following two subgroups of interest were addressed: studied region (Asia, Australia, Europe, North America and South America) and the time period of the study (1960–1990, 1990–2000, 2000–2010 and 2010– 2022). In additional subgroup analyses (sensitivity analyses),⁴⁸ we investigated whether the pooled effect sizes were affected by research design, complexity of quantitative analysis (univariate vs. multivariate), study quality and potential outliers.

RESULTS

Search results

The literature search generated a total of 13,585 references: 3745 in PubMed, 5185 in Embase.com, 1742 in APA PsycInfo, 1679 in CINAHL and 1234 in ERIC. After removing duplicates that were selected from more than one database, 9361 references remained. One additional article was identified from a reference list of previous systematic reviews.^{4,34}

After screening titles and abstracts, 203 articles remained, for which the inclusion and exclusion criteria were reviewed. Different outcomes of the same study described by multiple articles were reviewed together as one study. This resulted in 57 articles describing 55 different studies for inclusion in this review.

The authors of the selected studies were contacted in case of missing data. We received responses from two out of ten contacted corresponding authors who provided data for three studies.^{49–51}

The flowchart of the search and selection process is presented in Figure 1. Reporting is in accordance with the PRISMA guidelines.⁵²

Characteristics of included studies

The key characteristics of the 55 included studies, including 40 cross-sectional studies and 15 cohort studies, are presented in Table 1. All cohort studies had a retrospective design, and in 86% of these cohorts, participants patients were identified through a disability service registry. The included studies were published between 1969 and 2022; more than half of the reviewed studies (38 out of 55) were carried out in the last two decades, with 21 studies undertaken in the past 10 years.

Most (66%) of the studies were conducted in North America (35 from the United States and 3 from Canada), followed by 10 studies from Europe, 3 studies from Australia and New Zealand, 3 studies from Asia and 1 study from South America. Almost all studies (98%) had population samples from high-income countries.

Analysis of the 55 studies included a total of 1,326,091 participants, with study samples ranging from 28 to 892,220 participants. The reported ages ranged from 20 to 72 years, with an overall mean of 42 years. All but one study (males only)⁵³ included both males and females (proportion of females ranged from 33% to 72%).

The definition of employment as the outcome varied across studies and was frequently not described fully. Twelve studies (21%) used a definition that included competitive employment,^{23,49,54–63} five used paid or gainful employment^{19,64–67} and one study used open employment⁶⁸ or earnings set above minimum federal wage.⁶⁹ Although most studies focused on describing employment outcomes for working-age adults, a few (12%) also included participants who were not part of the working-age population (e.g., retired, students) or lacked a separate analysis for working-age participants.^{54,70–75}

Most studies included samples with all participants being visually impaired, except for 10 studies (18%),^{27,70,72-74,76-80} of which half was part of a national epidemiological study.^{27,70,72,73,80}

The severity of visual impairment (e.g., total/legal blindness, low vision) or fulfilment of certain criteria for low vision (e.g., the criteria for visual impairment by the International Classification of Diseases [ICD] or the WHO) was reported in the majority of studies. But only a few studies^{74,81–86} provided more information about the diagnoses of visually impaired participants. Some studies (42%) also reported additional disabilities (nonvisual), such as physical or mental disabilities.

The employment rates were reported in 47 of 55 studies and are displayed in Figure 2. Employment rates varied strongly between studies, ranging from 24% to 87% with an overall mean of 47% (SD 15%) and corresponding median of 45% (IQR 34, 57). Interpolation of data seemed to indicate a slight trend of increasing employment rates over time (41% in 1982 to 52% in 2022). Figure S1 shows the employment rates for different subgroups, revealing that the mean employment rates reported in cohorts (50%) were slightly higher than those reported in cross-sectional studies (46%).

1226



FIGURE 1 Flowchart of the search and selection procedure of studies.

Similarly, slight variations in employment rates were seen in studies from different geographical regions, with European participant samples (52%) showing somewhat higher employment rates, followed by Asian (49%), Australian and North American (45%) and South American samples (38%).

Twenty-one studies (38%) reported that (a part of) their sample was or had been part of a VR programme or other job-support programme. These studies were all performed in the United States or Asia, but not in Europe. Study samples with a majority of their participants, who were or had been in a VR setting,^{49–51,54–60,62,63,65,67,69,71,78,82,87–91} reported a somewhat higher employment rate mean compared with samples not from a VR setting; 50% and 46% respectively. Moreover, six studies investigated the association between different types of VR services and employment.^{55,58,62,67,69,90,92} Twenty-seven different types were assessed, which could be grouped into four categories, as suggested by Giesen et al.^{58,67} based on service delivery patterns: Special and Remedial Services, Job-Related Services, Evaluation and Training and Supports.

Quality assessment

Tables 2 and 3 show the methodological quality of the individual studies, measured with the NOS. Overall, the quality score of the included studies ranged from 3 to 8 points, with a median score of 6 and 7 for cross-sectional studies and cohort studies, respectively. High study quality (≥7 points) was rated in 33% of the cross-sectional studies and in 80% of the cohort studies. For both designs, studies often did not report adequately on (adjustment for) confounding factors. Cross-sectional studies frequently failed to show any comparison between responders and nonresponders and frequently lacked independent blind assessment of employment status as the outcome. Regarding the cohort studies, important items for lower quality were the selection of participants, where some participants were already employed at the start of the study. Lower quality also related to the lack of reporting of any loss to follow-up data.

Meta-analysis

Ten variables met our predetermined threshold for meta-analysis with data from at least four distinct studies. These variables were associated with work participation and could be grouped into six sociodemographic factors (gender, age, education, marital status, ethnicity and financial assistance), two disease-related factors (severity of visual impairment and co-morbidity) and two intervention-related factors (VR and mobility aid utilisation). Using the framework of the International Classification of Functioning (ICF),⁹³ we further identified work-related factors (e.g., previous work experience) and person-related factors (e.g., various psychological factors) (Figure 3), but these factors lacked

1227

THE COLLEGE OF

Methods of	anaryses Chi-square	NR (Univariate)	NR (Univariate)	NR (Univariate)	Logistic regression	NR (univariate)	Mutriple logistic regression	Stepwise multiple regression analysis
	Current employment measure Current employment status (not specified)	Competitive employment status at time of closure VR; wages	Employment status at time of closure VR: fulltime, part-time; annual earnings	Employment status: fultime job or self- employed and closed VR; monthly income	Employment status (not specified)	Active employment status (not specified)	Competitive employment, self-employment, supported employment or with the BEP	Competitive sector placement at time of closure VR: competitive employment, BEP, self-employment
Additional	NR	Я	R	32% ¹ NR ^a	5% ^j 11% ^k	Ж	57%	96/221
Sample VI	100% VJ; 100% Congenital, 60% adventitious visual impairment	100% VI; all legally blind	100% VI (self report); 66% legally blind, 34% visually impaired ¹ NR ^a	100% VI (self report), 75% blind, 25% low vision, 61% no usable vision ¹ NR ^a	100% VI; legally/totally blind, other VI	Mix VI/non-VI; 41% nonvisually, 34% low vision, 25% blind ness ¹ NR ^a	100% VI; 28% blind or legally blind	100% VI; 67% legally blind, 33% visually impaired
	Z Z Z	100%	39% active VR; 55% closed VR case ¹ NR ^a	95% having had VR case before of which 34% still open VR case ¹ NR ^a	N	R	100%	100% closed VR case
1007 - London	58%	48% (1997)–55% (2007)	44% ¹ 51% ^a	58% ¹ 58% ^a	34.0%	56% ¹ NR ⁶	57%	68%
Age (age range (year(s)); mean (M) age	18–55 M=NR	14–104 M=48.1 (19.9)	18–87 ¹ NR ^a <i>M</i> = 46.5 (13.8) ¹ ; 49.2 (12.5) ^a	18–89 18–70 ^ª <i>M</i> = 46.1 (15.2) <mark>;</mark> 48.9 (13) ^ª	18–62 M=36 (9) ^J ; 28 (8) ^k	18–NR ^c M=low vison: 46 (22); blind: 43 (24)	<30-65 M=NR	55-70+ M=ở 67; ♀ 72
Sampling method (year(s) and source of	uata) NR, questionnaire	1997–2007; RSA-911 data	2011; survey, online or by phone	2016; survey online or by phone	NR; telephone surveys	2015; survey	1955–2000; public-use data obtained from Cornell University's website for the unoptitudinal Study of the Vocational Rehabilitation Services Program	1998; RSA data
constant Con	Visually imparied clients Visually imparied clients from Canadian National Institute for the Blind's, residing in private residence, employed and unemployed	Legally blind consumers who exited State-Federal VR system during FYs 1997-2007; employed and unemployed at time of exiting VR	Legally blind and visually impaired adults; employed and unemployed	Adults who self-identified as blind or visually impaired: employed and unemployed	Visually impaired adults; employed and unemployed	Patients with some degree of permanent visual im pairment, who attended two specialised institutions in Medellin; employed and unemployed	Blind or visually impaired consumers of VR services; all were not comp. employed at time of application	VR-consumers with major visual disability or blindness, with initiated Individualised Plans for Employment, whose case had closed in 1998; no data on employment at application; at case closure employed /
Sample	36	188,978	1056 577 ^a	1153 1122 ^b 691 ^a	198	180 155 ^c	181	8676 4487 ^b
ani so C	Cross	Cross	Cross	Cross	Cross	Cross	Cohort	Cohort
	Beach ²⁹ (1995, Canada)	Bell ⁵⁴ (2010, USA)	Bell & Mino ^{so} (2013, USA)	Bell & Silverman ⁵¹ (2018, USA)	Bengisu ¹¹⁵ (2008, Turkey)	Cabrales-Lopez ⁷⁶ (2019, Colombia)	Capella- McDonnall ⁵⁵ (2005, USA)	Cavenaugh ⁵⁶ (2002, USA)

TABLE 1 Characteristics of reviewed studies in alphabetic order of the first author.

1228

unemployed

NIËLS ET AL.						C		COLLEGE OF	1229
Methods of analyses	Pearson's chi-square	NR (univariate)	Independent sample Ftests, chi-square analysis	NR (Univariate)	Bivariate, binary logistic regression (multivariate)	Multiple logistic regression analysis	Logistic regression	Multinomial regression	(Continues)
Em ployment measure	Employment status (not specified)	Employment status (not specified)	Employment status; fulltime, part-time	Employment status (not specified); (quarterly) earnings if employed	Paid employment (incl. self-employed)	Full-time employment: employed or self- employed ≥35 h per week	Competitive employment at application VR; employment with or without support in an integrated setting, self-employment except for BEP, state agency-managed BEP	Employment status (not specified)	
Additional disabilities	ж	R	ал	1% intellect, 6% hearing, 4% physical, 2.7% learning, 10% mental	X	44% other physical limitation	3.6% cognitive secondary disability, 37.4% non- cognitive secondary disability	N	
Sample VI characteristics	100% VI; All RP 22.3% limited VI, 29.7% low vision, 48.0% legally blind	Mix VI/non-VI; 44% unliateral visual impairment, 66% bilateral visual impairment ^d	100% VI	100% VI; 42% blind, 19% congenital blind	100% VI; blind or visually impaired	100% VJ; 40% totally blind, 18% profound vision loss, 28% moderate/ severe vision loss, 14% mild vision loss	100% VI; 50.7% legal blindness	Mix VI/non-VI; 0.7% had visual impairment or blindness, 22.9% had reduced vision in 1 or both eyes	
VR status	R	ж Z	100% closed VR case	73% closed VR-case	ш	76% had VR services	100% VR applicants	ж	
Female (%)	78%	52%	64%	52%	Я	X	48%	55%	
Age (age range (year(s)); mean (M) age (SD))	NR M=38.2 (7.1)	40-80 M=NR	25-64 M=47 (9.9)	NR M=44.2	18–64 M=NR	18–65 M =46 (12)	18–75 M=25.5 (14.0)	40-73 M=56.8 (8.1)	
Sampling method (year(s) and source of data)	1998; survey by phone and face-to-face	2004–2006; survey Singapore Malay Eye Study (SiMES)	NR; telephone survey	2005-2012; RSA-911 data and data from the state Unemployment Insurance agency	2005–2006; survey	2013-2014; survey	2015; RSA-911 data	2009–2010; UK Biobank data from 6 regional centres in England and Wales	
Sampling frame	Retinitis pigmentosa (RP) patients; employed and nonemployed	Adults aged 40–80 years; employed and unemployed	VR-consumers with major visual disability or blindness, whose case had closed ≥ 1 year; Excl: cogn/ hearing deficit; employed and unemployed	Visually impaired applicants from VR F V 2007; at time of application and closure employed/unemployed	Working-age individuals from a subsample of a nationally representative survey of blind and visually impaired aduts; employed and nonemployed	Nondrivers with visual impairment: employed/ unemployed	VR-consumers with signed Individualised Employment Plan, and received ≥1 VR service; employed/unemployed	Adults as part of epidemiologic study; employed/unemployed	
Sample size	148	3280 1516 ^d	26	1964 1808 ^e	559	327	14,229	112,314	
Design	Cross	Cross	Cross	Cohort	Cross	Cross	Cross	Cross	
Study	Chaumet-Riffaud ⁸⁶ (2017, France)	Chong ⁷⁰ (2009, Singapore)	Cimarolli ⁸⁷ (2006, USA)	Clapp ⁷¹ (2020, USA)	Clements ⁶⁴ (2011, UK)	Cmar, McDonnall, Crudden ⁸⁸ (2018, USA)	Crudden [®] (2018, USA)	Cumberland ⁷² (2016, UK)	

1475313, 2023, S, Downloaded from https://onlinelibitrg.wiley.com/doi/10.1111/opc.13188 by Essilor International, Wiley Online Library on (04/05/2024). See the Terms and Conditions (https://onlinelibitrg.wiley.com/ems-and-conditions) on Wiley Online Library for rules of use; OA articles are governed by the applicable Creative Commons License

Methods of analyses	Logistic regression	NR (Univariate)	NR (Univariate)	Two-level hierarchical generalised linear model
Em ployment measure	Competitive employment at time of closure VR:part-time or full-time employment in integrated environments, self- employment, or a state-managed BEP	Employment status (not specified); job titles, wages, number of hours worked per week, manner of finding employment, length of time to find employment, methods they used to seek employment, assistance for finding a job	Open employment: full-or part time job, similar for a well- sighted person, and obtained in ordinary way	Competitive employment at time of closure VR: employment in an integrated setting; self-employment; and supported employment in an integrated setting that was full- or part- time and that was compensated at the maximum of the state or federal minimum wage
Additional disabilities	ĸ	ĸ	42%	2.5% cognitive secondary disbility 40.7% noncogn. secondary disabilities
Sample VI characteristics	100% VI	100% VI; 43% total blind, 57% low vision	100% VI; 37% blind, 63% partially sighted	100% VI; 73.2% legally blind
VR status	100% closed VR case	۳	R	100% closed vR case
e Female (%)	5.2%	5 2%	44%	47%
Age (age range (year(s)); mean (M) age (SD))	<pre><66 years M = NR</pre>	NR M = 20	16–34 M=24.8	NR (inclusion 18-75 years M=46.2 (11.5)
Sampling method (year(s) and source of data)	2006; RSA- 911 data	NR; survey by structured interview	1987–1988; co-conducted individual interviews	2010; RSA-911 data
Sampling frame	Nonemployed VR- consumers with closed cases in Y 2006, aged <66 years, with primary disability of blindness or visual impairment; at time of application all nonemployed competitively; at case closure employed/ unemployed	70 graduates of the Texas School for the Blind and Visually Impaired, who graduated between 1985 and 1990. Excl: deaf-blindness, verbal intelligence quotient <70; employed/unemployed	69 out of 92 legally blind persons who were childreen in the original 1973–1974 study: employed/unemployed	VR-consumers, who were legally blind or with other visual impairment, received SSDI, and closed after receiving VR services; employed/unemployed
Sample size	3610	R	69	4478
Design	Cohort	Cross	Cross) Cohort
Study	Darensbourg ⁵⁷ (2013, USA)	DeLaGarza & Erin ¹¹⁶ (1993, USA)	Freeman ⁶⁸ (1991, Canada)	Giesen ^{s9} (2013, USA

ËLS ET AL.			O		THE COLLEGE OF 1231
Methods of analyses	Multilevel logistic regression	NR (Univariate)	Stepwise logistic regression analysis	Multivariate binary logistic regression model	Backward- elimination multiple regression (Continues)
Em ploym ent measure	<i>Study 2016:</i> Competitive employment at time of closure VR: employment in an integrated setting, self-employment, and supported employment in an integrated setting; and was full or part-time and compensated at the maximum of the State or Federal minimum wage <i>Study 2018:</i> Achievement of employment with earnings at levels that exceed Substantial Gainful Activity	Employment status; part-time, full-time	Paid work (not fur ther specified)	Employment status: full-time or part- time employed, unemployed, out of labour force	Sustained (un) employment (at least 1 year)
Additional disabilities	2.5% cognitive; 39.6% noncognitive	X	61.5%	۳	Å
Sample VI characteristics	100% VJ; 73% legally blind	Mix VI (49%)/non-VI; legal blindness or other visual impairment	100% VI (self report); 53.2% low vision, 39.8% very low vision, 7% blind; 25.4% from birth VI, 74.6% VI later in life	100% VI (self report)	100% VI; all blind
VR status	100% closed VR case	ж	Я	ĸ	ĸ
Female (%)	45%	32% ^d 32% ^d	52%	R	43%449%
Age (age range (year(s)); mean (M) age (SD))	NR (inclusion 18–75 years) M = 47.3	NR (inclusion: 16–65 years) M = NR	NR (inclusion 15–64 years) M=45.6 (12.0)	25-64 ^f M = NR	NR (inclu sion 20–62 years) M = 42.9 (8.2); 46.5 (11.8) ^k
Sampling method (year(s) and source of data)	2011; RSA-911 data	NR; qu estionnaire	2010; telephone survey	2017; nationally representative data from the 2017 Canadian Survey on Disability collected by Statistics Canada	NR; questionnaire
Sampling frame	VR-consumers, who were legally blind or with other visual impairment, and who received SSDI, closed after receiving VR services; employed/unemployed	Group 1: random sample of member from National Federation of the Blind Citizen of Australia, with blindness or visual impairment. Group 2: random sample of nonvisually impaired persons; employed/ unemployed	Participants, recruited from two companies which provide equipment for persons with various levels of VI; employed/ unemployed	People who reported having a seeing disability; employed/unemployed	Blind VR-consumers adults, employed (group 1), unemployed (group 2)
Sample size	3610	167 ¹ 82 ^d	299	1,519,840 892,220 ^f	109
Design	Cohort	Cross	Cross	Cross	Cross
Study	Giesen ^{58,67} (2016 & 2018, USA)	Gillie ₃ 77 (1998, Australia)	Goertz ¹⁹ (2017, The Netherlands)	Gupta ¹¹⁷ (2021, Canada)	Hagemoser ²⁸ (1996, USA)

Methods of analyses	Muttinomial logit model	NR (Univariate)	Backward logistic regression analysis	Binary logistic regression	rtests
Em ploym ent measure	Employment status: placed in the competitive labour market, self- employed, placed in sheltered work, or established as a homemaker	Employment rates; mean household size adjusted income	Successful employment outcome: after completing disability services being services being soldays employed in integrated setting, full-time or part-time, with compensation above minimum wage set by the government	Competitive employment at time of closure VR: competitively employed ≥90day, self- employed, or BEP operators	Employment status: full-time employed continuously the past 2years with earnings ≥\$ 200/month
Additional disabilities	15.2% major secondary disabilty, 80% minor secondary disability	к	ĸ	Я	0%
Sample VI characteristics	100% VI; 5.2% blind with no light perception, 41% legally blind, 11.4% blind one eye with other eye defective, 18% blind one eye with good other eye, 24% other VI	Mix VI/non-VI	100% VI; 71% severe VI, 29% mild VI	100% VI	100% VI; 28% totally/partially blind, congenital; 28% partially sighted, congenital; 32% totally/partially blind, acquired; 12% partially sighted, acquired
VR status	100% closed VR case	ж	100% closed VR case	100% closed VR case	ж
e Female (%)	56%	ĸ	38%	53%	0%
Age (age range (year(s)); mean (M) ag (SD))	NR M=46.7	25-61 M=NR	NR M=37.9 (11.5)	18–63 M=41.8 (5.9)	21-61 M=40.4
Sampling method (year(s) and source of data)	1982; RSA-911 data	1983–1996; The National Health Interview Survey, conducted by the National Center for Health Statistics	2008–2010; Records from Taiwanese National Vocational Rehabilitation Services	2003–2004; survey	NR; structured interview
Sampling frame	Blind and visually impaired VR-consumers with successfully closed cases in FY 1982; employed/ unemployed	Sample of the civilian noninstitutionalised population of the United States with info on the economic status and various chronic conditions; employed/ unemployed	Visually impaired VR- consumers, whose case had completed and closed between 2008 and 2010; employed/unemployed	Former Michigan Commission for the Blind clients whose cases had been either successfully or unsuccessfully closed FY 2003-2004; employed/ unemployed	Substantially employed group and a chronically unemployed visually impaired group
Sample size	17,228	R	313	128	101 89 ^e
Design	Cohort	Cross	Cohort	Cross	Cross
Study	(1989, USA)	Houtenville ²⁷ (2003, USA)	Jang ⁶⁹ (2013, Taiwan)	Jo, Chen, Kosciulek ⁸⁹ (2010, USA)	Joffe ^{s3} (1978, USA)

								I TOTIL TRIDIO	
Methods of analyses	NR (Univariate)	NR (Univariate)	Pearson chi-square	Fisher's Exact and Mann Whitney-U test	Multivariate logistic regression	Multiple logistic regression	Chi-square, logistic regression	Logistic regression	(Continues)
Em ployment measure	Employment status: part-time, full-time	Employment status: part-time, full-time	Paid/competitive employment; underemployment	Competitive employment: full or part-time work in an integrated setting in the competitive labour market, including self-employment, and, compensated ≥ minimum wage, and level of benefits paid as similar employees who are not disabled	Employment status: full-time job (regular, contract), piecework or self-employment	Employment status (not specified); job level; perceived underemployment	Employment status (not specified)	Employment status (not specified)	
Additional disabilities	Я	ж	42%	32%	10%	28.3%	65%	Я	
Sample VI characteristics	Mix VI (18%)/non VI; 21% impaired vision, 0.5% legally blind ^d	Mix VI/non VI; diabetic retinopathy	100% VI (self report); 18.2% no usable vision, 59.5% little usable vision, 22.3% a lot of usable vision	100% VI; 54% totally blind or light perception only; 39% perception through 20/200; 11% better than legally blind	100% VI; 35.4% severe VI	100% VI (self report); 83.6% partially sighted, 16.4% blind	100% VI; diabetic retinopathy, high myopia and diseases of the cornea	Mix VI (5%)/non-VI	
VR status	NR	R	R	ĸ	14.6% received a form of adjustment training	100% VR-applicants	ХК	100% closed VR case	
e Female (%)	56%	1: 53% 2: 55%	83%	14%	35%	44%	49% ⁹	Я	
Age (age range (year(s)); mean (M) age (SD))	NR (inclusion 43–84 years <i>M</i> = NR	NR (inclusion ≥25 years) M=NR	18–63 M=43.0	23-30 M = 28.9 (2.4)	18–65 M = 48.2 (11.5)	18–79 M=41	$17-64^9$ M = NR	R	
Sampling method (year(s) and source of data)	1988–1990; questionnaire	1980–1982; clinical exam and structured interview	NR; survey	NR; survey	2004; telephone survey	1989–1994; telephone survey	NR; face-to-face interviews	1998–2004; telephone survey	
Sampling frame	Inhabitants, living in the city or township of Beaver Dam and being 43– 84 years of age at the time of the census; employed/ unemployed	Persons with younger-onset diabetes (1) or older-onset diabetes (2); employed/ unemployed	Working-age visually impaired members of Royal New Zealand Foundation of the Blind; employed/unemployed	Visually impaired high school graduates, who received services from the Foundation for Blind Children; employed/ unemployed	Working-age visually impaired adults; employed/unemployed	Visually impaired persons with referral to VR services; employed/ unemployed	Visually impaired individuals, recruited from four public hospitals, with visual acuity 0,3010gMAR or worse; employed/ unemployed	VR consumers with different disabilities who have exited from VR programmes during 1998–2004; employed/ unemployed	
Sample size	4926	1240	150	58	874	167 130 ^e	546 254 ⁹	13,751 709 ^d	
Design	Cross	Cohort	Cross	Cross	Cross	Cohort	Cross	Cohort	
Study	Klein & Cruickshankz ³³ (1994, USA)	Klein & Moss ⁷⁴ (1994, USA)	La Grow ²³ (2004, N-Zealand)	Lawson ⁶¹ (2010, USA)	Lee & Park ⁹² (2008, S-Korea)	Leonard ⁹⁰ (1999, USA)	Marques ^{a1} (2019, Portugal)	Martz ⁷⁸ (2008, USA)	

1475313, 2023, S, Downloaded from https://onlinelibitrg.wiley.com/doi/10.1111/opc.13188 by Essilor International, Wiley Online Library on (04/05/2024). See the Terms and Conditions (https://onlinelibitrg.wiley.com/ems-and-conditions) on Wiley Online Library for rules of use; OA articles are governed by the applicable Creative Commons License

TABLE 1 (Co	ontinued)										
Study	Design	Sample size	Sampling frame	Sampling method (year(s) and source of data)	Age (age range (year(s)); mean (M) age (SD))	Female (%)	VR status	Sample VI characteristics	Additional disabilities	Em ploym ent measure	Methods of analyses
McCarty ¹¹⁸ (1999, Australia)	Cross	250	Adults with visual impairment; employed/ unemployed	1997; tele phone survey	19–59 M =40.7	52%	R	100% VI (self report); 16% totally blind	NR	Employment status: full-time, part-time; under-employment	Multivariate analysis
McDonnall ⁶² (2020, USA)	Cohort	880	VR consumers with blindness or other visual impairment caused by traumatic brain injury (TBI), whose case had closed during FY 2013 - 2015 (dear-blindness was excluded); employed/ unemployed	2013-2015; RSA-911 data	18–65 M=39.8 (13.4)	33%	100% closed VR case	100% VI caused by TBI; 46.3% legally blind	Ali TBI	Competitive employment at time of closure VR: working at an employer job, in self-employment, or in a BEP position and carning ≥ federal minimum wage	Hierarchical generalised linear modeling
Moore ⁸² (1984, USA)	Cross	108	Blind and visually impaired VR consumers, who had closed cases in FY 1982; employed/unemployed	NR; questionnaire	17-76 M=43	58%	100% closed VR case	100% VJ; 6% totally blind with no light perception, 41% legally blind, 53% various VI (infections, cataract, glaucoma)	N	Employment status: competitive, sheltered, nonrehabilitated	Univariate, Pearson correlation/ANOVA
Pavey ⁶⁶ (2008, UK)	Cross	1007 220 th	Visually impaired people, who had been in compulsory education with in the last 25 years; employed/unemployed	2005–2006; survey with interviews	18–42 ^h <i>M</i> = NR	55%	R	100% VI; 100% onset at childhood	R	Paid employment status	NR (Univariate)
Pfouts ⁹¹ (1982, USA)	Cross	86	Totally blind adults; employed/unemployed	1979–1980; survey by questionnaire, North Carolina Register of the Blind	20–56 <i>M</i> = NR	50%	55% closed VR case	100% VI; all totally blind	N	Employment status (not specified)	Multiple regression
Rahi ⁷⁹ (2009, UK)	Cohort	9330	Members of the 1958 British birth cohort at age 44 or 45 years; employed/ unemployed	2002–2003; series of clinical examinations or face- to-face interviews, or both	<i>M</i> =NR <i>M</i> =NR	Ж	X	Mix VI/non VI; 90.9% normal vision both eyes, 6.8% normal vision one eye, 1.3% socially significant VI (VA 6/12–6/18, 0.9% VI (VA 6/19–6/60) or blindness (VA >3/60)	Я	Employment status (not specified)	Logistic, multinomial, proportional odds ordinal logistic regression
Roy ¹¹⁹ (1998, UK)	Cross	5	Visually impaired college graduates, identified from Royal National Institute for the Blind; employed/ unemployed	NR: semi-structured telephone interviews (>1 year after graduation)	NR M = 30 (7) [;] 30 (8) ^k	NR	N	100% VI; 78% blind, 22% partially sighted	NR	Employment status (not specified)	Chi-square
Ryles ¹²⁰ (1996, USA)	Cross	74	Congenitally legally blind adults who learned to read braille or print as their original reading medium, identified by The Washington State Library for the Blind and Physically Handicapped; employed/unemployed	NR; survey by structured interview	18–55 M = NR	57%	X	100% VI; all congenitally legally blind	Ϋ́	Employment status (not specified); income levels	Chi-square

1234 OPO THE COLLEGE OF OPTOMETRISTS

NL.						THE COLLEG	E OF
Methods of analyses	NR (Univariate)	NR (Univariate)	Multiple regression	Multilevel logistic regressions	Logistic regression	NR (univariate)	(Continues)
Em ployment measure	Gainful employment: percentage of time worked	Employment status: part-time, full-time	Employment status (not specified)	Competitive employment at time of closure VR: employment in an integrated setting, self employment, or full-time or part-time participation in a state-managed BEP, ≥minimum wage	Employment status (not specified)	Employment status (not specified)	
Additional disabilities	45%	NN	NR	1: 38.9% 2: 35%	X	N	
Sample VI characteristics	100% VI; all lost their sight prior to a period of gainful employment; 93.5% legally blind both eyes	Mix VI (0.08%)/non-VI	100% VI; all legally blind; 66% blind at birth or <2years, 12% during childhood, 22% in adulthood	100% VI; 49.1% legal blindness	100% VI; legal blindness due to Stargardt (42%), cone dystrophy (6%), Best vitelliform macular dystrophy (4%) or achromatopsia (12%)	100% VJ; 23.2% VA 0.04-0.1, 28.6% VA 0.1, 14.3% VA 0.2, 23.2% VA >0.3	
VR status	100% closed VR case	ж	X	100% closed VR case	12% 4.8% k	X	
Female (%)	36.3%	51% ¹ 53% ^d	59%-61%	1: 47% 2: 49% (total: 48%)	67%	46%	
Age (age range (year(s)); mean (M) age (SD))	23-42 M=NR	16-74 ¹ M=NR	18–90 [†] 18–65 [†] <i>M</i> = NR	22–66 M= 1: 44.6 (11.4) 2: 47.4 (11.3)	18–62 M=41 (11)	N	
Sampling method (year(s) and source of data)	1968; interviews	1999–2008; survey with vision examination and questionnaires	2012; online survey	2010–2011: RSA-911 data FV, data National Survey of State Vocational Rehabilitation	NR; questionnaire	NR; questionnaire	
Sampling frame	Former visually impaired pupils from residential/ day schools; employed/ unemployed	Working-age American participants from the 1999 to 2008 National Health and Nutrition Examination Survey: employed/ unemployed	Legally blind people, identified by American council of the Blind (ACB) and National Federation of the Blind; employed/ unemployed	Blind (1) and visually impaired (2) VR- consumers, who had completed Individualised Plan for Employment forms on record; employed/une mployed	Legally blind patients; employed/unemployed	Adult graduates of the School for People with Low Vision in Thuringia, who finished school in 1970–1986; employed/ unemployed	
Sample size	644	19,849 ¹	433 ¹ 419 ¹	13,741	52	56	
Design	Cross	Cross	Cross	Cohort	Cross	Cross	
Study	Scholl & Bauman ⁶⁵ (1969, USA)	Sherrod ⁸⁰ (2014, USA)	Silverman ^{121,122} (2015 & 2018, USA)	USA) USA)	Szlyk ⁸³ (1998, USA)	Walther ¹²³ (1996, Germany)	

Study	Design	Sample size	Sampling frame	Sampling method (year(s) and source of data)	range (year(s)); mean (M) age (SD))	Female (%)	VR status	Sample VI characteristics	Additional disabilities	Em ployment measure	Methods of analyses
Wolffe ⁷⁵ (1992, USA)	Cross	76	Blind or visually impaired consumer members of the ACB; employed/ unemployed	NR; questionnaire	17-71 M=44.0	41%	Я	100% VI; 65% low vision, 32% totally blind, 3% deafblind; 47% congenital, 53% adventitious	3% deaf-blind	Employment status: full- time, part-time	Chi- square
Zapata ⁸⁴ (2020, USA)	Cross	183	Working-age adults with RP, recruited from Facebook; employed/unemployed	2015; online questionnaire	22-64 M=43 (11)	72%	NR	100% VI; all RP	NR	Employment status: full- time, part-time	Multiple logistic regression
Zapata ^{ts} (2022, USA)	Cross	8	Working-age adults with self-reported VI, recruited through anline forums and mailing lists for people with VI; employed/ unemployed	2019; online questionnaire	21-66 M=46 (12)	67%	ĸ	100% VI; totally blind or light perception 19%; Stargardt disease 5%, RP 36%, macular degeneration c1%, glaucoma 9%, cataracts 1%, glaucoma and cataracts 4%, RP and cataracts 4%, RP and cataracts 4%, nultiple causes (nonspecified) 8%, other cause(s) 24%,	24%	Employment status: full- time, part-time	Stepwise logistic regression

^aSubsample with closed VR.

^bWorking-age group, max 70 years.

^c18+ year. ^dVI only group.

^eEmployment analysis.

^fAge 25–64 years. ⁹Working-age group.

^h18–42 years.

¹18–64 years.

^jEmployed group.

^k Unemployed group. ^I Total study sample.

1236



FIGURE 2 Scatterplot for employment rates of included studies over time. The plot reports the employment rates (%) of unique study samples, distributed over time. Forty-seven of the 55 included samples from our study are displayed, which reported the employment rates of (sub)samples with all visually impaired participants. The majority of these (sub)samples included working-age adults only. The size of the dot represents the size of the individual sample. The black trend line displays the interpolation with 95% confidence interval (not weighted for sample size) of all 47 samples.

our predetermined threshold for meta-analysis of four studies.

In our meta-analyses, we observed high heterogeneity for most variables, indicating variability among studies and associations (see Forest plots, Figure 4). For each of the 10 variables in the meta-analysis we described the main findings.

Gender

In 29 studies, data were reported on the association between gender and employment in working-age adults with visual impairment showing that males had a somewhat higher odds of being employed than females, with ORs varying between 0.68 and 3.1 and an overall effect size of 1.59 OR (95% CI 1.37 to 1.84). However, heterogeneity of the pooled studies was high (l^2 95%). Subgroup analyses (Figure 5a) revealed that the OR for males remained stable across different regions. Subgroup analyses for time period showed significant relevant and higher ORs with generally low heterogeneity (OR 1.83 to 2.19) and slightly lower ORs in the more recent time periods for male gender (period 2010–2022: 1.25 OR, 95% CI 1.11 to 1.41, l² 78%). Sensitivity analysis showed that high between-study heterogeneity could not be explained by separating studies with univariate from multivariate analyses nor by study quality or study design. Moreover, sensitivity analyses had no major effect on the magnitude of the effect sizes.

Age

In 10 studies, data were reported on the association between age and employment. In general, there was no meaningful association between age and employment, with ORs varying between 0.93 and 1.02 and an overall pooled OR of 0.99 (95% CI 0.97 to 1.00). Additionally, the heterogeneity of the pooled studies was high (l^2 91%).

Subgroup analysis (Figure 5b) revealed a difference in ORs between time periods. The earlier time period (2000–2010: OR 0.97, 95% CI 0.96 to 0.98, l^2 0%, n=3) showed a slightly positive association for younger age and employment, while no association appeared in the later time period (2010–2022: OR 1.00, 95% CI 0.99 to 1.01, l^2 80%, n=7). Further subgroup analyses showed that the high heterogeneity could not be explained by the type of analysis (univariate vs. multivariate), study quality or study design. Moreover, sensitivity analyses had no major effect on the magnitude of the ORs.

Marital status

In five studies, data were reported on the association between marital status/with partner and employment, showing being married/with partner having higher odds of being employed compared with being nonmarried/without partner, with ORs varying between 1.05 and 3.42 and a pooled OR of 1.73 (95% CI 1.12 to 2.67) with no important heterogeneity (l^2 34%).

Education

Figure S2 shows the association between employment and the three educational levels (low, moderate and high). Subsequently, we regrouped the three education-levels into two levels and pooled data in two different analyses (1, low vs. moderate/high level; 2, low/moderate level vs. high level).

The first analysis compared high school diploma or higher versus a lower degree, revealing ORs of nine individual studies, ranging from 0.48 to 4.98, and showed a pooled OR of 1.83 (95% Cl 1.23 to 2.73). The second analysis

1237

TABLE 2 Quality assessment based on the (modified) Newcastle–Ottawa Scale cross-sectional studies.

	Selection					Exposure		
Study	Representativeness of the sample	Sample size	Nonrespondents	Exposure ascertainment	Comparability	Outcome assessment	Statistical test	Total score
Beach ²⁹	*	☆	\$	*	**	★☆	☆	3
Bell ⁵⁰	*	*	*	☆	**	★☆	☆	3
Bell ⁵¹	*	*	\$	☆	* *	★☆	\$	3
Bengisu ¹¹⁵	*	*	\$	*	★☆	★☆	*	6
Cabrales-Lopez ⁷⁶	*	*	☆	☆	**	★☆	*	4
Chaumet-Riffaud ⁸⁶	*	*	☆	*	**	★☆	*	5
Chong ⁷⁰	*	*	*	*	**	★☆	*	8
Cimarolli ⁸⁷	*	☆	*	*	**	★☆	*	4
Clements ⁶⁴	*	*	Å	*	**	★☆	*	7
Cmar ⁸⁸	*	*	*	*	**	★☆	*	7
Crudden ⁴⁹	*	*	\$	*	**	★☆	*	7
Cumberland ⁷²	*	*	\$	*	**	★☆	*	7
DeLaGarza ¹¹⁶	*	☆	*	*	★☆	★☆	*	6
Freeman ⁶⁸	*	☆	\$	*	**	★☆	☆	3
Gillies ⁷⁷	*	☆	\$	*	★☆	★☆	*	5
Goertz ¹⁹	*	*	\$	*	**	★☆	*	7
Gupta ¹¹⁷	*	*	*	☆	**	★☆	*	7
Hagemoser ²⁸	*	*	\$	*	★☆	★☆	*	6
Houtenville ²⁷	*	*	\$	*	★☆	★☆	☆	5
Jo ⁸⁹	*	*	\$	*	★☆	★☆	*	6
Joffe ⁵³	*	*	☆	*	**	★☆	☆	4
Klein & Cruickshanks ⁷³	*	*	\$	*	**	★☆	*	7
LaGrow ²³	*	*	\$	*	**	★☆	\$	4
Lawson ⁶¹	*	\$	\$	*	**	★☆	*	4
Lee ⁹²	*	*	\$	*	**	★☆	*	7
Marques ⁸¹	*	*	\$	*	**	★☆	*	7
McCarty ¹¹⁸	*	*	☆	☆	**	★☆	*	6
Moore ⁸²	*	*	☆	*	**	★☆	*	5
Pavey ⁶⁶	*	*	☆	*	**	★☆	☆	4
Pfouts ⁹¹	*	☆	☆	*	★☆	★☆	*	5
Roy ¹¹⁹	*	☆	\$	*	**	★☆	*	4
Ryles ¹²⁰	*	☆	☆	*	**	★☆	*	4
Scholl & Crissey ⁶⁵	*	*	*	*	**	★☆	*	8
Sherrod ⁸⁰	*	*	*	*	★☆	★☆	*	6
Silverman ^{121,122}	*	*	*	*	**	★☆	*	7
Szlyk ⁸³	*	☆	☆	*	**	★☆	*	6
Walther ¹²³	*	☆	☆	*	**	★☆	\$	3
Wolffe ⁷⁵	*	☆	*	*	**	★☆	☆	3
Zapata ⁸⁴	*	*	\$	*	**	★☆	*	7
Zapata ⁸⁵	*	*	\$	\$	**	★☆	*	6

compared a bachelor diploma or higher versus a lower degree, revealing ORs of 12 individual studies, ranging from 1.2 to 8.02, and showed a pooled OR of 2.65 (95% CI 2.08 to 3.39). In conclusion, a higher level of education resulted in higher odds of being employed. However, the heterogeneity of the studies was high (l^2 64% to 76%).

	Selection					Outcome			
Study	Representativeness of the exposed cohort	Selection of the non-exposed cohort	Exposure ascertainment	Demonstration that outcome of interest was not present at start of study	Comparability	Assessment of outcome	Duration of follow-up	Adequacy of follow-up	Total score
Bell ⁵⁴	*	*	*	ب	삼な	*	*	\$ ⁴	5
Capella-McDonnall ⁵⁵	*	*	*	*	**	*	*	公	80
Cavenaugh ⁵⁶	*	*	*	攻	**	*	*	众	7
Clapp ⁷¹	*	*	*	4	公公	*	*	\$ ⁴	5
Darensbourgh ⁵⁷	*	*	*	*	**	*	*	\$ ⁴	8
Giesen ⁵⁹	*	*	*	公	**	*	*	*	7
Giesen ^{58,67}	*	*	*	작	**	*	*	\$ ⁴	7
Hill ⁶⁰	*	*	*	4	**	*	*	\$ ⁴	7
Jang ⁶⁹	*	*	*	찪	**	*	*	ф.	7
Klein & Moss ⁷³	*	*	*	*	**	4	*	\$ ⁴	7
Leonard ⁹⁰	*	*	ф	☆	**	*	*	ф.	6
Martz ⁷⁸	*	*	*	*	**	*	*	\$ ⁴	7
McDonnall ⁶²	*	*	*	작	**	*	*	\$ ⁴	7
Rahi ⁷⁹	*	*	*		**	*	☆	*	7
Steinman ⁶³	*	*	*	챣	**	*	*	ф 4	7

TABLE 3 Quality assessment based on the (modified) Newcastle-Ottawa Scale cohort studies.

THE COLLEGE OF OPTOMETRISTS

OPO





FIGURE 3 Summary of predictors mentioned in available studies for employment status in people with visual impairment, organised in the International Classification of Functioning conceptual framework. *Included in meta-analysis

Because in the second analysis at least 10 studies showed pooled data on the association between employment and a bachelor diploma or higher versus a lower degree, we were able to perform further subgroup analysis for this comparison. Subgroup analyses (Figure 5c)

1240

THE COLLEGE OF

revealed that across the studied regions, the ORs for employment were similar with low to high levels of heterogeneity. Furthermore, the time period of the study may have had a moderating effect on the association, but could not explain the high heterogeneity. Pooled data from eight



FIGURE 4 Meta-analyses of the association between employment status and different variables. The dots represent the effect sizes (odds ratio) and the lines represent the 95% confidence interval (CI) from each primary study. Size of the dots reflects the weight attributed to each study (with random effects model). The diamond represents the pooled summary effect size and CIs. (a) Gender: comparison male versus female; (b) Age: comparison young versus older age; (c) Marital status/with partner: comparison yes versus no; (d) Education: comparison bachelor diploma or higher versus a lower degree; (e) Ethnicity: comparison white versus non-white; (f) Financial assistance: comparison yes versus no; (g) Severity of visual impairment: comparison blind versus low vision; (h) Additional disability: comparison yes versus no; (i) Use of mobility aid: comparison yes versus no; (j) Vocational training: comparison yes versus no. SE, standard error.

1241

THE COLLEGE OF





(9)				e a a c i t a a c	
Study or Subgroup	log[Odds Ratio]	SE	Weight	IV, Random, 95% CI	IV, Random, 95% CI
Cross-sectional					
Cabrales-Lopez (2019) ⁷⁶	0.4931	0.5472	3.6%	1.64 [0.56, 4.79]	
Chaumet-Riffaud (2017)86	-1.4688	0.0528	7.6%	0.23 [0.21, 0.26]	-
Clements (2011)64	-0.3711	0.07	7.6%	0.69 [0.60, 0.79]	-
Cmar (2018) ⁸⁸	0.1237	0.2274	6.4%	1.13 [0.72, 1.77]	
Crudden (2018) ⁴⁹	-0.016	0.0376	7.6%	0.98 [0.91, 1.06]	+
Freeman (1991) ⁶⁸	-0.3155	0.5696	3.5%	0.73 [0.24, 2.23]	
Goertz (2017) ¹⁹	-0.6194	0.235	6.4%	0.54 [0.34, 0.85]	
Gupta (2021) ¹¹⁷	-0.4155	0.0078	7.7%	0.66 [0.65, 0.67]	•
Klein & Cruickshanks (1994) ⁷³	-0.5055	1.1315	1.3%	0.60 [0.07, 5.54]	
La Grow (2004) ²³	-0.767	0.476	4.2%	0.46 [0.18, 1.18]	
Lawson (2010) ⁶¹	-2.3514	1.1675	1.3%	0.10 [0.01, 0.94]	
Marques (2019) ⁸¹	-1.1894	0.5003	4.0%	0.30 [0.11, 0.81]	
Szlyk (1998) ⁸³	-0.4796	0.5613	3.5%	0.62 [0.21, 1.86]	
Wolffe (1992)75	0.3258	0.4912	4.0%	1.39 [0.53, 3.63]	
Zapata (2022) ⁸⁵	0.0862	0.6583	2.9%	1.09 [0.30, 3.96]	
Subtotal (95% CI)			71.7%	0.64 [0.48, 0.87]	\bullet
Heterogeneity: Tau ² = 0.20; Chi ²	= 528.63, df = 14 (P < 0.00	001); l² = 9	97%	
Test for overall effect: Z = 2.89 (F	> = 0.004)				
Cohort					
Capella-MCDonnall (2005)⁵⁵	-0.9943	1.06	1.5%	0.37 [0.05, 2.95]	
Cavenaugh (2002) ⁵⁶	-1.4688	0.0528	7.6%	0.23 [0.21, 0.26]	-
Darensbourg (2016) ⁵⁷	-0.6972	0.19	6.8%	0.50 [0.34, 0.72]	-
Giesen (2013) ⁵⁹	-0.2692	0.12	7.3%	0.76 [0.60, 0.97]	-
Jang (2013) ⁶⁹	0.1217	0.3599	5.2%	1.13 [0.56, 2.29]	
Subtotal (95% CI)			28.3%	0.53 [0.25, 1.10]	\bullet
Heterogeneity: Tau ² = 0.58; Chi ²	= 106.49, df = 4 (P	< 0.000	01); l² = 96	5%	
Test for overall effect: Z = 1.70 (F	⁵ = 0.09)				
Total (95% CI)			100.0%	0.61 [0.46, 0.80]	◆
Heterogeneity: Tau ² = 0.27; Chi ²	= 922.04, df = 19 (P < 0.00	001); l² = 9	98%	
Test for overall effect: Z = 3.50 (F	> = 0.0005)				UUT U.T 1 10 100
Test for subgroup differences: Cl	ni² = 0.24, df = 1 (P	= 0.62),	l² = 0%		TAVOUIS LOW VISION FAVOUIS DIINU

FIGURE 4 (Continued)

1243

Favours No Training Favours Training



Test for overall effect: Z = 0.17 (P = 0.86)

Test for subgroup differences: $Chi^2 = 0.06$, df = 1 (P = 0.80), I² = 0%

FIGURE 4 (Continued)



FIGURE 5 Meta-analyses with subgroup analysis on the association between employment status and (a) gender, (b) age, (c) level of education, (d) ethnicity, (e) severity of visual impairment and (f) having additional disability. The diamonds represent the pooled effect sizes (odds ratio [OR]), and the lines represent the 95% confidence interval (CI) around each effect in the subgroup. The size of the diamond reflects the weight attributed to each subgroup from the random-effects analysis. The color of the diamond represents magnitude of heterogeneity (blue: l² > 40% heterogeneity levels or no measurement of heterogeneity because 1 study; black: ² < 40%). Effect size is statistically significant, if CI not includes or crosses '1'. Predefined subgroups: level of quantitative analysis, study design, level of study quality (QA: quality assessment), studied region, time period of study.

1245





studies performed in the most recent time period (2010–2022) showed a higher and statistically significant OR (OR 2.81, 95% CI 2.16 to 3.65, l^2 68%) compared with pooled data from two studies performed in an earlier time period (2000–2010: OR 1.71, 95% CI 0.88 to 3.46, l^2 27%).

Further subgroup analyses showed that high heterogeneity could not be explained by the type of analysis (univariate vs. multivariate) or study design. However, separating high-quality studies from lower quality studies, the heterogeneity disappeared and the magnitude of the OR increased (OR 3.34, 95% Cl 2.47 to 4.51, l^2 0%).

Ethnicity

In 11 studies, data were reported on the association between ethnicity and employment, all reported by studies from the United States. Participants described as having 'white' ethnic background had in general equal to higher odds of being employed compared with participants without a 'white' ethnic background. Odds ratios varied between 0.95 and 3.11, with an overall OR of 1.3 (95% CI 1.05 to 1.62). However, heterogeneity of the pooled studies was high (l^2 79%).

Subgroup analyses (Figure 5d) for region or time period as potential moderators were not possible, since the vast majority of studies were from one region (USA) or one time period (2010–2020).

Sensitivity analysis revealed a major reduction in heterogeneity (from 79% to 25%) after removing the study of Crudden et al.⁴⁹ and slightly changed the magnitude but not the trend for ethnicity and employment (OR 1.18, 95% Cl 1.01 to 1.38, l^2 25%). Subsequently, after removing low-quality studies, the strength or significance of the association did not alter substantially (OR 1.29, 95% Cl 1.06 to 1.58, l^2 31%). Furthermore, dividing studies based on univariate or multivariate analysis resulted in a slightly higher OR for multivariate studies, and reduced heterogeneity to zero (OR 1.36, 95% Cl 1.07 to 1.74, l^2 0%).

Receipt of financial assistance

In six studies, data were reported on the association between financial assistance and employment showing that having financial assistance resulted in lower odds of being employed compared with no financial assistance, with ORs varying between 0.06 and 0.82 and a pooled OR of 0.38 (95% Cl 0.26 to 0.55). However, the heterogeneity of the studies was high (l^2 85%).

Severity of visual impairment

In 20 studies, data were reported on the association between severity of visual impairment and employment, showing that being blind resulted in lower odds of being employed compared with low vision, with ORs varying between 0.10 and 1.64 and a pooled OR of 0.61 (95% CI 0.46 to 0.80). The heterogeneity of the studies was high (l^2 98%).

Subgroup analyses (Figure 5e) revealed that studied region and time period were potential moderators in the association between the severity of visual impairment and employment status. Regarding region, odds for employment and severity of visual impairment remained stable across studies conducted in Australia (OR 0.46, 95% CI 0.18 to 1.18, n = 1), Europe (OR 0.41, 95% CI 0.19 to 0.87, l^2 98%) and North America (OR 0.65, 95% CI 0.46 to 0.90, I² 98%). In contrast, studies conducted in Asia (OR 1.13, 95% CI 0.56 to 2.29, n = 1) and South America (OR 1.64, 95% CI 0.56 to 4.79, n = 1) showed opposite results, meaning that the odds of being employed were higher for people with blindness versus people with low vision. However, the number of Asian and South American studies was low, and the ORs were not statistically significant. Moreover, time period was also a moderator in the association between the severity of visual impairment and employment status, and generally showed lower heterogeneity levels. For instance, studies conducted in the 2000-2010 time period showed a higher pooled OR for people with low vision, was statistically significant and presented low heterogeneity (OR 0.25, 95% Cl 0.18 to 0.36, l^2 15%). On the other hand, the pooled ORs for studies conducted in the 1990-2000 time period showed a smaller favourable pooled OR for people with low vision (OR 0.87, 95% CI 0.48 to 1.57, *I*² 0%). Further subgroup analyses showed that the high heterogeneity could not be explained by the type of analysis (univariate vs. multivariate), study guality or study design. Moreover, sensitivity analyses had no major effect on the magnitude of the ORs.

Additional disability

In 13 studies, data were reported on the association between the presence of additional disability (nonvisual) and employment, showing that having an additional disability resulted in lower odds of being employed compared with no additional disability, with ORs varying between 0.25 and 1.87 and a pooled OR of 0.55 (95% Cl 0.49 to 0.62). Betweenstudy heterogeneity of the pooled studies was low (l^2 16%). Subgroup analyses (Figure 5f) revealed that the studied region and time period were potential moderators, meaning that the effect of having an additional disability (nonvisual) on being employed varied with region and time period.

Despite the pooled OR being different across regions, the ORs were similar with low to modest heterogeneity. Lowest pooled ORs were found for studies conducted in Asia (OR 0.31, 95% CI 0.12 to 0.78, n = 1), followed by Australia (OR 0.43, 95% CI 0.22 to 0.86, n = 1) and Europe (OR 0.49, 95% CI 0.35 to 0.7, l^2 0%). But the number of studies in these regions was low. The majority of studies were performed in North America, with a pooled OR of



0.58 (95% CI 0.49 to 0.68, l^2 41%), similar to the overall pooled OR.

Furthermore, subgroup analysis for time period showed somewhat lower pooled ORs for earlier compared with later time periods (1990–2000: OR 0.25, 95% CI 0.08 to 0.80, n = 1; 2000–2010: OR 0.38, 95% CI 0.23 to 0.65, l^2 0%; 2010–2020: OR 0.57, 95% CI 0.50 to 0.65, l^2 25%). Subsequently, additional subgroup analysis for the type of analysis (univariate vs. multivariate), study design or study quality revealed that the overall pooled ORs were quite robust.

Mobility aid utilisation

In four studies, data were reported on the association between mobility aid utilisation (e.g., cane, guide dog) and employment, showing that use of a mobility aid resulted in lower odds of being employed compared with no use of a mobility aid, with ORs varying between 0.05 and 1.15, and a pooled OR of 0.35 (95% CI 0.10 to 1.18). However, the pooled OR was not significant and the heterogeneity of the studies was high (l^2 94%).

Receipt of vocational rehabilitation service

In six studies, the association between one or more VR services and (competitive) employment was examined. However, pooling was not possible since these factors lacked our predetermined threshold for meta-analysis of four distinct studies. Nevertheless, we were able to pool for receipt of VR in general. Pooled ORs for the association on receipt of VR and employment were calculated for four studies with ORs ranging from OR 0.65 to 1.53 and a pooled effect OR of 1.05 (95% CI 0.62 to 1.76). The overall OR for being employed and receipt of VR showed variability in the association, was not significant and had high heterogeneity (l^2 75%).

DISCUSSION

This is the first meta-analysis to explore the association between different variables and the employment status of working-age adults with a visual impairment. Pooling results from 55 unique studies with a total of 1,326,091 participants. We found that several sociodemographic and disease-related factors may be associated with employment status in visually impaired people. Better odds for employment were identified for visually impaired people with higher education, male, married/with partner, no additional disability (nonvisual), no financial assistance, no use of a mobility aid, 'white' ethnic background or having less visual impairment. Age and receipt of VR showed no meaningful association.

In this study, we found wide variability in the prevalence of employment between studies, but in general a

low employment rate (range 24% to 87%). Despite advances in (vocational) rehabilitation^{14,15} and assistive technological developments,^{16,17} we observed only a slight increase in the employment rate over time. Compared with populations having other sensory disabilities such as hearing impairment,^{94,95} visually impaired people often have lower levels of work participation. This is also found, although less consistent, in comparison with populations with nonsensory disabilities, such as locomotor and mental disabilities.^{96–98} For the observed wide variations in employment rates across the included studies, we assume that different factors may have contributed, for example, variations in data collection (e.g., registry databases, surveys), study setting or differences in legislations and employment support programmes across countries. For instance, Jang et al.⁶⁹ described a very high employment rate of 87% in their study sample of visually impaired people in Taiwan. Some countries, such as Taiwan, use specific incentive legislation strategies to stimulate work participation for visually impaired people; for example, there are job positions in the massage industry that are made available specifically to the visually impaired target group.

Associations between employment and variables such as education, comorbidity and severity of visual impairment found in the present study are in line with the narrative reviews of Goertz et al.⁴ and Lund et al.^{34,35} These authors reported that also other variables are associated with employment, such as braille reading level or having received communication training. However, these associations could not be confirmed in our meta-analysis, mainly due to insufficient comparable data to obtain a reliable effect estimate for these variables. In addition, differences in the methodological approach regarding our review resulted in the exclusion of some studies, such as qualitative studies or with variety in employment outcomes (e.g., earnings, functioning in work), which were included in Goertz et al.⁴

In addition, many of our findings on factors associated with employment in visually impaired working-age adults seem to overlap with factors for work participation with chronic diseases in general. Vooijs et al.⁹⁹ discovered that some predictors are often seen in different types of disabilities and have described these as disease-generic factors, such as age, gender, coping and more job/ work-place-related factors (work autonomy, workplace adaptations and support from colleagues/employer). The level of education is also known to be highly associated with employment outcomes in the general population.¹⁰⁰ Indeed, in this study, a higher education level was a significant predictor that showed higher odds of being employed (OR 1.83 to 2.65), compared with lower levels of education.

When taking a closer look at the identified variables, we made two observations. First, the effect of work-related factors on employment chances in visually impaired people has barely been studied, despite their potential for predicting work participation,⁹⁹ the developments over time regarding type of work (places) and advances in work support (assistive technology, VR). Second, many predictors from our meta-analysis are nonmodifiable, meaning that these factors cannot be changed, but they can be used to identify subgroups that need specific attention or support.

The severity of visual impairment was significantly associated with employment, showing higher odds (OR 1.64) of employment in people with low vision compared with people with blindness. This is in line with other studies that reported lower chances of employment in people with more severe impairments in general,¹⁰¹ as well as other sensory impairments, such as a hearing impairment.¹⁰² Furthermore, our meta-analysis revealed that use of a mobility aid (e.g., cane, guide dog) was negatively associated with employment (OR 0.35). This might be explained by having a mobility aid could be interpreted as a proxy for greater severity of the impairment.

Both having an additional disability, other than visual, and receipt of financial assistance were negatively associated with employment. Having financial assistance might indicate greater problems in functioning. However, one might argue that certain types of financial assistance are related to work history. Having a work history was associated with better employment chances in some investigations, ^{55,56,69,83} but due to the limited number of studies, we were not able to confirm that finding. Furthermore, Giesen and Lang⁵⁸ reported mixed results on employment, amount of earnings and social benefit, with better odds for employment but lower odds for a return to work when having higher earnings and social benefits.

Ethnicity showed an association with employment in this study. However, two points should be made. First, the association with ethnicity was only reported by studies conducted in the United States; thus, generalisation to other geographical regions is difficult. Second, without adjustment for indicators related to societal context such as education level or socioeconomic status, the conclusion and interpretation regarding the association of ethnicity and employment may be limited.¹⁰³ Nevertheless, assessing potential associations between employment and these indicators, and noticing disparities may be important to provide the required services.¹⁰⁴

Finally, receipt of VR showed no significant association with employment. As the number of studies was low, showed variation in effect sizes and were all performed in the United States, our findings may not be internationally representative. In addition, characteristics of VR (e.g., type and duration of service, type of rehabilitation centre) varied across studies. In a narrative review, Lund et al. reported that some VR service-related variables were related to higher employment outcomes.^{34,35} We also observed a higher mean employment rate for samples in a VR setting (Figure S1) compared with samples outside a VR-setting. On the other hand, referral towards VR may be targeting more individuals with greater severity of impairment, which is a group with lower employment chances. More research is warranted and should also focus on the various types of delivered VR services.

The second aim of this study was to explore whether the associations between employment and the identified variables from our meta-analysis changed over time for visually impaired people. For six of the ten variables (age, gender, education level, ethnicity, comorbidity and severity of visual impairment), we were able to explore possible trends over time. Overall, the present study showed that the odds for these six variables on employment slightly varied per time period, meaning that the association with employment may have changed over time. However, the magnitude of these trends was not clear because of low power, which was mainly caused by unequal distribution and low numbers of studies in the different time periods.

Nevertheless, several mechanisms are described in the literature, which may contribute to changes in employment opportunities for visually impaired people over time. First, several general trends occurred on the labour market, especially in high-income countries; for instance, the distribution of female workers has increased over time,¹⁰⁵ and people worked until a higher age due to an increased statutory retirement age¹⁰⁶ and prolonged good health. In addition, in more recent years, greater attention has been paid to preparing children with a visual impairment in their transition for work participation and the labour market by secondary schools or other parties.^{36,107,108} Finally, types of work and workplaces have changed over the past decades, leading to different job and task requirements, for example, jobs are less physically demanding, often less manual work is available, work has higher complexity levels and there are more communication skill requirements.^{109,110} Positive improvements for people with disabilities include improved technological possibilities at the workplace for visually impaired persons, which contribute to changes in employment in terms of productivity and fulfilling job-tasks.^{12,13} But at the same time, several studies reported problems regarding implementation and societal misconceptions (stigmatisation) on assistive technology and accommodations in the workplace.^{111,112} Awareness of these developments helps to understand the impact of some factors for visually impaired people being employed over time. Although, in the present review, it was not yet possible to quantify the effect.

Strength and limitations

A strength of this study was the elaborate search strategy and broad inclusion criteria for employment and visual impairment, enabling us to include a large number of studies to perform a meta-analysis. In addition, in contrast to earlier studies, we used standardised statistical methods to quantify employment outcomes. Finally, THE COLLEGE OF OPTOMETRISTS

methodological quality was addressed by using a standardised method.

Our study also suffered some limitations. First, definitions of visual impairment and employment outcome varied somewhat between studies, and it is difficult to assess in what way this impacted the results. Second, a few study (sub)samples were not only restricted to the working-age population but also included individuals who were not part of the working-age population, for example, retired people and students. However, since this was a minority of studies (12%), we do not believe it had a major impact on the results. Third, by including both cross-sectional and cohort studies, we were able to evaluate differences in study design, which were not apparent in the magnitude of the associations. As the meta-analysis was largely based on cross-sectional studies, causality in the observed associations could not be assessed. Fourth, although we acknowledge that in most countries rehabilitation is available, it is often provided to visually impaired persons before or during their working life. Therefore, some studies were conducted in a VR setting. We neither show an effect for VR in our review, nor do we deny its possible impact as discussed earlier. Finally, interpretation of our pooled results was limited by the generally unexplained substantial heterogeneity across investigated variables. Higher heterogeneity is very common among meta-analyses, which include observational studies. In our meta-analyses, addressing heterogeneity by subgroup analysis could have been affected by uneven covariate distributions among studies, as well as by the limited numbers of studies per subgroup and low statistical power. Furthermore, geographical region and time period proved to be potential moderators for age, gender, severity of visual impairment and comorbidity, but interpretation was hindered by limited information per variable. Most of the included studies were based on data registrations, which provided reliable data based on a large number of observations. However, these studies also limited our exploration possibilities to find out which factors contributed to heterogeneity, such as variations between countries regarding income level, social security legislation, employment support and access to VR.

Recommendations for practice and future research

The synthesis of available evidence could benefit from more well-designed high-quality studies, i.e., cohort studies with long-term follow-up moments, standardisation of definitions for employment outcomes¹¹³ and study population characteristics such as severity of visual impairment definitions.¹¹⁴ There is a need for identifying other factors that are associated with employment to inform the development of novel interventions. A distinction must be made in modifiable and nonmodifiable factors as these can provide both input for the type of intervention components and the identification of specific (vulnerable) subgroups that can be targeted with interventions. Recognising diversity among persons with disabilities is emphasised in the protocol United Nations Convention of the Rights of Persons with Disabilities in 2006.¹¹ However, within this target group, there are specific vulnerable subgroups that deserve more attention in order to participate in society, specifically regarding work participation.

Level of education across studies was the most consistent modifiable predictor for employment in visually impaired persons, as confirmed in this study. Therefore, interventions should provide more attention towards education for visually impaired people. Further research is needed on which types of education will actually improve employment chances for visually impaired people. In addition, there should be more focus in future research on the effects of other (modifiable) factors on employment, for example, types of work (place) and conditions with the use of possible (assistive technological) adjustments, ability to perform visual tasks and types of VR services.

REGISTRY

PROSPERO registration number: CRD42021241076.

AUTHOR CONTRIBUTIONS

Richard Daniëls: Conceptualization (lead); data curation (lead); formal analysis (lead); investigation (lead); methodology (lead); project administration (lead); software (lead); visualization (lead); writing – original draft (lead); writing – review and editing (lead). Ruth M. van Nispen: Conceptualization (equal); data curation (supporting); formal analysis (supporting); investigation (supporting); methodology (equal); supervision (lead); validation (equal); writing - review and editing (equal). Ralph de Vries: Data curation (supporting); visualization (supporting); writing - review and editing (supporting). Birgit H. P. M. Donker-Cools: Conceptualization (supporting); data curation (supporting); writing - review and editing (supporting). Frederieke G. Schaafsma: Conceptualization (supporting); data curation (supporting); writing - review and editing (supporting). Jan L. Hoving: Conceptualization (equal); data curation (supporting); formal analysis (supporting); investigation (supporting); methodology (equal); supervision (lead); validation (equal); writing - original draft (supporting); writing - review and editing (equal).

FUNDING INFORMATION

This research was supported by the Dutch Social Security Agency (UWV) and Research Centre for Insurance Medicine. However, they had no involvement in the conduct of the research or preparation of the article.

CONFLICT OF INTEREST STATEMENT None.

ORCID

Richard Daniëls https://orcid.org/0000-0003-1491-5941 Ruth M. van Nispen https://orcid.

org/0000-0003-1227-1177

Ralph de Vries D https://orcid.org/0000-0002-2075-7495 Birgit H. P. M. Donker-Cools D https://orcid.

org/0000-0001-8724-2472

Frederieke G. *Schaafsma* https://orcid. org/0000-0001-5827-7000 *Jan L. Hoving* https://orcid.org/0000-0002-0461-4013

REFERENCES

- 1. Langelaan M, de Boer M, van Nispen RM, Wouters B, Moll AC, van Rens GH. Impact of visual impairment on quality of life: a comparison with quality of life in the general population and with other chronic conditions. *Ophthalmic Epidemiol*. 2007;14:119–26.
- 2. Nyman SR, Gosney MA, Victor CR. Psychosocial impact of visual impairment in working-age adults. *Br J Ophthalmol*. 2010;94:1427–31.
- van der Aa HP, Comijs HC, Penninx BW, van Rens G, van Nispen R. Major depressive and anxiety disorders in visually impaired older adults. *Invest Ophthalmol Vis Sci.* 2015;56:849–54.
- Goertz YHH, van Lierop BAG, Houkes I, Nijhuis FJN. Factors related to the employment of visually impaired persons: a systematic literature review. J Vis Impair Blind. 2010;104:404–18.
- Elsman EBM, van Rens G, van Nispen RMA. Impact of visual impairment on the lives of young adults in The Netherlands: a conceptmapping approach. *Disabil Rehabil*. 2017;39:2607–18.
- Buch H, Vinding T, La Cour M, Appleyard M, Jensen GB, Nielsen NV. Prevalence and causes of visual impairment and blindness among 9980 scandinavian adults: the Copenhagen City Eye Study. *Ophthalmology*. 2004;111:53–61.
- 7. Flaxman SR, Bourne RRA, Resnikoff S, Ackland P, Braithwaite T, Cicinelli MV, et al. Global causes of blindness and distance vision impairment 1990–2020: a systematic review and meta-analysis. *Lancet Glob Health*. 2017;5:e1221–34.
- Bourne R, Adelson J, Flaxman S, Briant PS, Taylor HR, Casson RJ, et al. Trends in prevalence of blindness and distance and near vision impairment over 30 years and contribution to the global burden of disease in 2020. *Lancet Glob Health*. 2021;9:e130–43.
- 9. Keunen J, Verezen C, Imhof S, van Rens G, Asselbergs MB, Limburg JJ. Toename in de vraag naar oogzorg in nederland 2010–2020. *Ned Tijdschr Geneeskd*. 2011;155:A3461.
- Theophanous C, Modjtahedi BS, Batech M, Marlin D, Luong T, Fong D. Myopia prevalence and risk factors in children. *Clin Ophthalmol.* 2018;12:1581–7.
- 11. United Nations. Convention on the rights of persons with disabilities. New York: United Nations; 2006.
- Cimera RE, Rumrill P, Chan F, Kaya C, Bezyak JL. Vocational rehabilitation services and outcomes for transition-age youth with visual impairments and blindness. J Vocat Rehabil. 2015;43:103–11.
- Denny-Brown N, O'Day B, McLeod S. Staying employed: services and supports for workers with disabilities. J Disabil Policy Stud. 2015;26:124–31.
- 14. Trauzettel-Klosinski S. Current methods of visual rehabilitation. *Dtsch Arztebl Int.* 2011;108:871–8.
- 15. Markowitz SN. Principles of modern low vision rehabilitation. *Can J Ophthalmol.* 2006;41:289–312.
- Hersh M, Johnson M. Assistive technology for visually impaired and blind people. London: Springer; 2008. Series. https://doi. org/10.1007/978-1-84628-867-8
- 17. Aqel MOA, Issa A, Elsharif AA, Alajerami YSM, Khalaf H, Alrayyes T, et al., editors. Review of recent research trends in assistive

technologies for rehabilitation. 2019 International Conference on Promising Electronic Technologies (ICPET). East Jerusalem, Israel; 23–24 Oct 2019.

- Wolffe KE, Spungin SJ. A glance at worldwide employment of people with visual impairments. J Vis Impair Blind. 2002;96:245–53.
- Goertz YHH, Houkes I, Nijhuis FJN, Bosma H. Factors associated with participation on the competitive labour market of people with visual impairments in The Netherlands. *Work*. 2017;58:251–61.
- 20. Knapen J, Grosscurt R, van Schelven FV, Boeije H, Bastiani H, Helleman S. Het werkt anders. Handreiking om de arbeidsparticipatie van mensen met een visuele of auditieve beperking te bevorderen. Utrecht: Nivel, College voor de rechten van de mens; 2020.
- Heppe C, Klaveren V. Visueel in beeld—arbeidsmarktuitkomsten van personen met een visuele beperking die zvw zg-zorg hebben gedeclareerd in de periode 2015 t/m 2018 1-7-2022. [cited 2022 July 01]. Available from: https://bartimeusfonds.nl/app/ uploads/2021/01/Heppe-Cornelisz-Van-Klaveren-2020-rapportage -onderzoek-Visueel-in-Beeld.pdf
- 22. La Grow S. Employment among working-age members of the Royal New Zealand Foundation for the Blind. *J Vis Impair Blind*. 2003;97:429–33.
- La Grow SJ. Factors that affect the employment status of workingage adults with visual impairments in New Zealand. J Vis Impair Blind. 2004;98:546–59.
- McKnight ZS, Crudden A, McDonnall MC. Personal characteristics associated with working after disability onset for people with visual impairments. J Vis Impair Blind. 2021;115:95–105.
- McDonnall MC, Cmar JL, McKnight ZS. Beyond employment rates: full-time versus part-time employment for people with visual impairments. J Vis Impair Blind. 2022;116:7–13.
- Tuttle D, Tuttle N. Self-esteem and adjusting with blindness: the process of responding to life's demands. 3rd ed. Springfield: Charles C Thomas Publisher, Ltd; 2004.
- 27. Houtenville AJ. A comparison of the economic status of workingage persons with visual impairments and those of other groups. *J Vis Impair Blind*. 2003;97:133–48.
- Hagemoser SD. The relationship of personality traits to the employment status of persons who are blind. J Vis Impair Blind. 1996;90:134–44.
- Beach JD, Robinet JM, Hakim-Larson J. Self-esteem and independent living skills of adults with visual impairments. *J Vis Impair Blind*. 1995;89:531–40. https://doi.org/10.1177/0145482X9508900609
- Schakel W, van der Aa HPA, Bode C, Hulshof CTJ, van Rens GHMB, van Nispen RMA. The economic burden of visual impairment and comorbid fatigue: a cost-of-illness study (from a societal perspective). *Invest Ophthalmol Vis Sci.* 2018;59:1916–23.
- Köberlein J, Beifus K, Schaffert C, Finger RP. The economic burden of visual impairment and blindness: a systematic review. *BMJ Open*. 2013;3:e003471. https://doi.org/10.1136/bmjopen-2013-003471
- Gordois A, Cutler H, Pezzullo L, Gordon K, Cruess A, Winyard S, et al. An estimation of the worldwide economic and health burden of visual impairment. *Glob Public Health*. 2012;7:465–81.
- Daniëls R, Simons J, Noordik E, Hoving J. De visueel beperkte cliënt in de claimbeoordeling: vanuit het perspectief van uwv-verzekeringsartsen. *Tijdschr Bedr Verzekeringsgeneeskd*. 2020;28:34–40.
- 34. Lund EM, Cmar JL. A systematic review of factors related to employment outcomes for adults with visual impairments. *J Vis Impair Blind*. 2019;113:493–517.
- Lund EM, Cmar JL. Factors related to employment outcomes for vocational rehabilitation consumers with visual impairments: a systematic review. J Vis Impair Blind. 2019;113:518–37.
- Lund EM, Cmar JL. A systematic review of factors related to employment in transition-age youth with visual impairments. *Rehabil Psychol.* 2020;65:122–36.
- Moher D, Liberati A, Tetzlaff J, Altman DG, for the PRISMA Group. Preferred reporting items for systematic reviews and metaanalyses: the PRISMA statement. *BMJ*. 2009;339:b2535. https://doi. org/10.1136/bmj.b2535

1252

- Lefebvre C, Glanville J, Briscoe S, Featherstone R, Littlewood A, Marshall C, et al. 4.6.4 implementation of the selection process. In: Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, et al., editors. Cochrane handbook for systematic reviews of interventions. Version 6.3 (updated February 2022). Cochrane; 2022.
- 39. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan—a web and mobile app for systematic reviews. *Syst Rev.* 2016;5:210. https://doi.org/10.1186/s13643-016-0384-4
- WHO. ICD-11: International Classification of Diseases (11th revision). Chapter 9: Vision impairment. 2019. [cited 2022 July 12]. Available from: http://id.who.int/icd/entity/30317704
- Wells GA, Shea B, O'Connell D, Peterson J, Welch W, Losos M, et al. The Newcastle–Ottawa Scale (NOS) for assessing the quality of nonrandomized studies in metaanalysis. Ottawa: OHRI; 2000.
- 42. Modesti PA, Reboldi G, Cappuccio FP, Agyemang C, Remuzzi G, Rapi S, et al. Panethnic differences in blood pressure in Europe: a systematic review and meta-analysis. *PLoS One*. 2016;11:e0147601. https:// doi.org/10.1371/journal.pone.0147601
- 43. Review Manager. Version 5.3. Copenhagen: Nordic Cochrane Centre, The Cochrane Collaboration; 2014.
- 44. Higgins JPT, Li T, Deeks JJ. 6.3 extracting estimates of effect directly. In: Higgins JPT, Li T, Chandler J, Cumpston M, Li T, Page MJ, et al., editors. Cochrane handbook for systematic reviews of interventions. Chichester (UK): John Wiley & Sons; 2022.
- 45. Deeks JJ, Higgins JPT, Altman DG. 10.10.2 identifying and measuring heterogeneity. In: Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, et al., editors. Cochrane handbook for systematic reviews of interventions. version 6.3 (updated February 2022). Chichester (UK): John Wiley & Sons; 2022.
- 46. Deeks JJ, Higgins JPT, Altman DG. 10.11.5.1 ensure that there are adequate studies to justify subgroup analyses and meta-regression. In: Higgins JPT, Thomas J, Cumpston M, Li T, Page MJ, Welch VA, editors. Cochrane handbook for systematic reviews of interventions. Version 6.3 (updated February 2022). Chichester (UK): John Wiley & Sons; 2022.
- 47. Deeks JJ, Higgins JPT, Altman DG. 10.11.2 what are subgroup analyses? In: Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, et al., editors. Cochrane handbook for systematic reviews of interventions. Version 6.3 (updated February 2022). Chichester (UK): John Wiley & Sons; 2022.
- 48. Deeks JJ, Higgins JPT, Altman DG. 10.14 sensitivity analyses. In: Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, et al., editors. Cochrane handbook for systematic reviews of interventions. Version 6.3 (updated February 2022). Chichester (UK): John Wiley & Sons; 2022.
- Crudden A, Giesen JM, Sui Z. Contrasting competitively employed and unemployed VR applicants with visual disabilities: characteristics and VR service delivery patterns. *J Vocat Rehabil.* 2018;49:117–26.
- Bell E, Mino N. Blind and visually impaired adult rehabilitation and employment survey: final results. *J Blind Innov Res.* 2013;3:3. https:// doi.org/10.5241/2F1-35
- Bell EC, Silverman AM. Rehabilitation and employment outcomes for adults who are blind or visually impaired: an updated report. J Blind Innov Res. 2018;8:1. https://doi.org/10.5241/8-148
- Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ*. 2021;372:n71. https://doi. org/10.1136/bmj.n71
- 53. Joffe PE, Bast BA. Coping and defense in relation to accommodation among a sample of blind men. *J Nerv Ment Dis.* 1978;166:537–52.
- Bell E. Competitive employment for consumers who are legally blind: a 10-year retrospective study. J Rehabil Res Dev. 2010;47:109–16.
- 55. Capella-McDonnall ME. Predictors of competitive employment for blind and visually impaired consumers of vocational rehabilitation services. *J Vis Impair Blind*. 2005;99:303–15.
- 56. Cavenaugh B, Rogers P. Employment patterns of older workers with visual impairments. *J Vis Impair Blind*. 2002;96:655–8.

- Darensbourg BL. Predictors of competitive employment of VR consumers with blindness or visual impairments. J Vocat Rehabil. 2013;38:29–34.
- Giesen JM, Lang AH. Predictors of earnings enabling likely roll departure for SSDI beneficiaries with visual impairments in vocational rehabilitation. J Disabil Policy Stud. 2018;29:166–77.
- Giesen JM, Cavenaugh BS. Disability insurance beneficiaries with visual impairments in vocational rehabilitation: sociodemographic influences on employment. J Vis Impair Blind. 2013;107:453–67.
- Hill MA. Work status outcomes of vocational rehabilitation clients who are blind or visually impaired. *Rehabil Couns Bull*. 1989;32:219–30.
- Lawson HM. Adult outcomes, reported self-aptitude, and perceived training: a follow-up study of individuals with visual impairment. Ann Arbor: The University of Arizona; 2010.
- 62. McDonnall MC, Cmar JL, McKnight ZS. Service factors and personal characteristics associated with employment and job quality for vocational rehabilitation consumers with combined traumatic brain injury and visual impairment. *J Vocat Rehabil.* 2020;52:223–38.
- 63. Steinman BA, Kwan N, Boeltzig-Brown H, Haines K, Halliday J, Foley SM. Agency decision-making control and employment outcomes by vocational rehabilitation consumers who are blind or visually impaired. J Vis Impair Blind. 2013;107:437–51.
- Clements B, Douglas G, Pavey S. Which factors affect the chances of paid employment for individuals with visual impairment in Britain? *Work*. 2011;39:21–30.
- Bauman MK, Crissey MS, Scholl GT. A study of the vocational success of groups of the visually handicapped. Ann Arbor: School of Education, University of Michigan; 1969.
- 66. Pavey S, Douglas G, Corcoran C. Transition into adulthood and work—findings from network 1000. *Br J Vis Impair*. 2008;26:202–16.
- 67. Giesen JM, Hierholzer A. Vocational rehabilitation services and employment for SSDI beneficiaries with visual impairments. *J Vocat Rehabil.* 2016;44:175–89.
- Freeman RD, Goetz E, Richards DP, Groenveld M. Defiers of negative prediction: a 14-year follow-up study of legally blind children. *J Vis Impair Blind*. 1991;85:365–70.
- 69. Jang Y, Wang Y-T, Lin M-H, Shih KJ. Predictors of employment outcomes for people with visual impairment in Taiwan: the contribution of disability employment services. *J Vis Impair Blind*. 2013;107:469–80.
- Chong EW, Lamoureux EL, Jenkins MA, Aung T, Saw SM, Wong TY. Sociodemographic, lifestyle, and medical risk factors for visual impairment in an urban Asian population: the Singapore Malay Eye Study. Arch Ophthalmol. 2009;127:1640–7.
- Clapp CM, Pepper JV, Schmidt R, Stern S. Overview of vocational rehabilitation data about people with visual impairments: demographics, services, and long-run labor market trends. *J Vis Impair Blind*. 2020;114:43–56.
- Cumberland PM, Rahi JS. Visual function, social position, and health and life chances: the UK Biobank Study. JAMA Ophthalmol. 2016;134:959–66.
- Klein R, Klein BE, Jensen SC, Moss SE, Cruickshanks KJ. The relation of socioeconomic factors to age-related cataract, maculopathy, and impaired vision. The Beaver Dam Eye Study. *Ophthalmology*. 1994;101:1969–79.
- Klein R, Klein BE, Jensen SC, Moss SE. The relation of socioeconomic factors to the incidence of proliferative diabetic retinopathy and loss of vision. *Ophthalmology*. 1994;101:68–76.
- Wolffe KE, Roessler RT, Schriner KF. Employment concerns of people with blindness or visual impairments. J Vis Impair Blind. 1992;86:185–7.
- Cabrales-Lopez A. Relationship between sociodemographic and clinical factors with visual impairment in patients attended at two ophthalmological institutions of the city of Medellín during 2015. *Rev Mex Oftalmol.* 2019;93:185–93.

- 77. Gillies RM, Knight K, Baglioni AJ. World of work: perceptions of people who are blind or vision impaired. *Intl J Disabil Dev Educ*. 1998;45:397–409.
- Martz E, Xu YJ. Person-related and service-related factors predicting employment of individuals with disabilities. *J Vocat Rehabil*. 2008;28:97–104.
- Rahi JS, Cumberland PM, Peckham CS. Visual function in workingage adults: early life influences and associations with health and social outcomes. *Ophthalmology*. 2009;116:1866–71.
- Sherrod CE, Vitale S, Frick KD, Ramulu PY. Association of vision loss and work status in the United States. JAMA Ophthalmol. 2014;132:1239–42.
- Marques AP, Macedo AF, Lima Ramos P, Moreno LH, Butt T, Rubin G, et al. Productivity losses and their explanatory factors amongst people with impaired vision. *Ophthalmic Epidemiol*. 2019;26:378–92.
- Moore JE. Impact of family attitudes toward blindness/visual impairment on the rehabilitation process. J Vis Impair Blind. 1984;78:100–6.
- Szlyk JP, Fishman GA, Aslan RJ, Grover S. Legal blindness and employment in patients with juvenile-onset macular dystrophies or achromatopsia. *Retina*. 1998;18:360–7.
- 84. Zapata MA. An exploratory study of general self-efficacy and employment in adults with retinitis pigmentosa. *J Vis Impair Blind*. 2020;114:18–30.
- Zapata MA. Disability affirmation predicts employment among adults with visual impairment and blindness. *Rehabil Couns Bull.* 2022;65:120–8.
- Chaumet-Riffaud AE, Chaumet-Riffaud P, Cariou A, Devisme C, Audo I, Sahel JA, et al. Impact of retinitis pigmentosa on quality of life, mental health, and employment among young adults. *Am J Ophthalmol.* 2017;177:169–74.
- Cimarolli VR, Wang S. Differences in social support among employed and unemployed adults who are visually impaired. J Vis Impair Blind. 2006;100:545–56.
- Cmar JL, McDonnall MC, Crudden A. Transportation self-efficacy and employment among individuals with visual impairments. J Vocat Rehabil. 2018;48:257–68.
- Jo S-J, Chen R, Kosciulek J. Employment outcomes among individuals with visual impairments: the role of client satisfaction and acceptance of vision loss. J Appl Rehabil Couns. 2010;41:3–8.
- Leonard R, D'Allura T, Horowitz A. Factors associated with employment among persons who have a vision impairment: a follow-up of vocational placement referrals. J Vocat Rehabil. 1999;12:33–43.
- 91. Pfouts JH, Nixon DG. The reality of the dream: present status of a sample of 98 totally blind adults. *J Vis Impair Blind*. 1982;76:41–8.
- Lee IS, Park SK. Employment status and predictors among people with visual impairments in South Korea: results of a national survey. *J Vis Impair Blind*. 2008;102:147–59.
- 93. International classification of functioning, disability and health (ICF). Geneva: World Health Organization; 2001.
- 94. Paul S, Rafal M, Houtenville A. The percentage of people employed with vision and hearing disabilities. Durham: University of New Hampshire, Institute on Disability; 2020.
- 95. Powell A. Disabled people in employment. Commons library briefings. London: House of Commons Library; 2021.
- O'Neill J, Kaczetow W, Pfaller JS, Verkuilen J. Impairment, demographics and competitive employment in vocational rehabilitation. *J Vocat Rehabil.* 2017;46:149–58.
- Dutta A, Gervey R, Chan F, Chou CC, Ditchman N. Vocational rehabilitation services and employment outcomes for people with disabilities: a United States study. J Occup Rehabil. 2008;18:326–34.
- McDonnall MC, Sui Z. Employment and unemployment rates of people who are blind or visually impaired: estimates from multiple sources. J Vis Impair Blind. 2019;113:481–92.
- 99. Vooijs M, Leensen MC, Hoving JL, Daams JG, Wind H, Frings-Dresen MH. Disease-generic factors of work participation of workers with a chronic disease: a systematic review. *Int Arch Occup Environ Health*. 2015;88:1015–29.
- 100. Tamborini CR, Kim C, Sakamoto A. Education and lifetime earnings in the United States. *Demography*. 2015;52:1383–407.

- Jensen J, Sathiyandra S, Rochford M. Work participation among people with disabilities: does the type of disability influence the outcome? *Soc Policy J N Z*. 2005;24:134–59.
- Dong S, Guerette AR. Workplace accommodations, job performance and job satisfaction among individuals with sensory disabilities. *Aust J Rehabil Couns*. 2013;19:1–20.
- Kaplan JB, Bennett T. Use of race and ethnicity in biomedical publication. JAMA. 2003;289:2709–16.
- 104. Krieger N, Fee E. Social class: the missing link in U.S. Health data. *Int J Health Serv*. 1994;24:25–44.
- 105. The-World Bank. Female labor force participation. 2022. [cited 2022 August 08]. Available from: https://genderdata.worldbank.org/ data-stories/flfp-data-story/
- 106. Atav EJT, Rabaté S. The effects of the increase in the retirement age in the Netherlands. The Hague: CPB Netherlands Bureau for Economic Policy Analysis; 2019.
- 107. Kaine N, Stancliffe RJ, Chapparo C, Honey A. Time is of the essence: an Australian perspective on transition preparations for students with visual impairments. *J Vis Impair Blind*. 2019;113:569–72.
- 108. HR1350-108th-Congress. Individuals with disabilities education act (idea) of 2004. [cited 2022 May 05]. Available from: https://www. congress.gov/bill/108th-congress/house-bill/13502004
- 109. Kranzberg M, Hannan MT. History of the organization of work: Encyclopedia Britannica; 2021, November 1. [cited 2022 June 11]. Available from: https://www.britannica.com/topic/history-ofwork-organization-648000
- 110. French S. Part 1: visually impaired people and employment: an historical overview. Visual impairment and work—experiences of visually impaired people. London: Taylor and Francis; 2017. https://doi.org/10.4324/9781315569536. ISBN: 9781315569536.
- 111. Ripat JD, Woodgate RL. The importance of assistive technology in the productivity pursuits of young adults with disabilities. *Work*. 2017;57:455–68.
- 112. Sivakumar P, Vedachalam R, Kannusamy V, Odayappan A, Venkatesh R, Dhoble P, et al. Barriers in utilisation of low vision assistive products. *Eye*. 2020;34:344–51.
- 113. Ravinskaya M, Verbeek JH, Langendam MW, Madan I, Verstappen SMM, Kunz R, et al. Preferred methods of measuring work participation: an international survey among trialists and Cochrane systematic reviewers. *J Occup Rehabil*. 2022;32:620–8.
- 114. Crews JE, Lollar DJ, Kemper AR, Lee LM, Owsley C, Zhang X, et al. The variability of vision loss assessment in federally sponsored surveys: seeking conceptual clarity and comparability. *Am J Ophthalmol.* 2012;154(6 Suppl):S31–44.e1.
- 115. Bengisu M, Izbırak G, Mackieh A. Work-related challenges for individuals who are visually impaired in Turkey. *J Vis Impair Blind*. 2008;102:284–94.
- DeLaGarza DV, Erin JN. Employment status and quality of life of graduates of a state residential school. J Vis Impair Blind. 1993;87: 229–33.
- 117. Gupta S, Sukhai M, Wittich W. Employment outcomes and experiences of people with seeing disability in Canada: an analysis of the Canadian Survey on Disability 2017. *PLoS One*. 2021;16:e0260160. https://doi.org/10.1371/journal.pone.0260160
- McCarty CA, Burgess M, Keeffe JE. Unemployment and underemployment in adults with vision impairment: the RVIB Employment Survey. Aust N Z J Ophthalmol. 1999;27:190–3.
- 119. Roy AWN, Dimigen G, Taylor M. The relationship between social networks and the employment of visually impaired college graduates. *J Vis Impair Blind*. 1998;92:423–32.
- 120. Ryles R. The impact of braille reading skills on employment, income, education, and reading habits. *J Vis Impair Blind*. 1996;90:219–26.
- 121. Silverman AM, Bell EC. The association between braille reading history and well-being for blind adults. *J Blind Innov Res.* 2018;8. https://doi.org/10.5241/8-141
- 122. Silverman A. Swimming upstream: social-psychological insights on improving blind people's employment outcomes. University of Colorado at Boulder; 2014.

1253

THE COLLEGE OF

PO THE COLLEGE OF OPTOMETRISTS

123. Walther HR, Möller K. Social status of visually handicapped patients in new combined federal Germany—a comparison with the status before 1990. *Rehabilitation*. 1996;35:161–9.

SUPPORTING INFORMATION

1254

Additional supporting information can be found online in the Supporting Information section at the end of this article. **How to cite this article:** Daniëls R, van Nispen RM, de Vries R, Donker-Cools BHPM, Schaafsma FG, Hoving JL. Predictors for work participation of people with visual impairments: A systematic review and meta-analysis. *Ophthalmic Physiol Opt*. 2023;43:1223–1254. https://doi.org/10.1111/opo.13188